

Figure

	PAGE
90. <i>Lithoptera darwini</i> , n. sp.,	222
91. <i>Haliomma myvillei</i> , n. sp.,	223
92. <i>Hexancistra quadricuspis</i> , n. gen. et sp.,	223
93. <i>Eureoryphalus huxleyi</i> , n. sp.,	223
94. <i>Cinclopyramis murrayana</i> , n. gen. et sp.,	223
95. <i>Lithocoronis challengerii</i> , n. gen. et sp.,	224
96. <i>Clathrocanium reginæ</i> , n. sp.,	225
97. <i>Ipynops murrayi</i> , Günth., 1600 to 1900 fathoms,	239
98. The Island of Tristan da Cunha,	241
99. Settlement of "Edinburgh," Tristan da Cunha,	252
100. Waterfall, Inaccessible Island,	255
101. Penguins at home,	260
102. Head, foot, and wing of <i>Nesospiza acunhæ</i> , Cabanis,	261
103. Head, foot, and wing of <i>Nesocichla eremita</i> , Gould,	261
104. Nightingale Island from the North,	264
105. Nightingale Island from the South,	265
106. <i>Amphitretus pelagicus</i> , n. gen. et sp.,	271
107. <i>Japetella prismatica</i> , n. gen. et sp.,	272
108. <i>Bathyteuthis abyssicola</i> , n. gen. et sp.,	272
109. <i>Promachoteuthis megaptera</i> , n. gen. et sp.,	273
110. <i>Peniagone wyvillii</i> , Théel,	277
111. <i>Scotoplanes globosa</i> , Théel,	279
112. <i>Psychropotes longicauda</i> , Théel,	281
113. <i>Peripatus capensis</i> (after Balfour),	284
114. A right leg of <i>Peripatus capensis</i> ,	285
115. A left leg of <i>Peripatus capensis</i> ,	285
116. <i>Pentacrinus maclearanus</i> , Wyv. Thoms.,	304
117. <i>Pentacrinus wyville-thomsoni</i> , Jeffreys,	304
118. <i>Metacrinus wyvillii</i> , P. H. Carpenter,	305
119. <i>Rhizocrinus lofotensis</i> , M. Sars,	305
120. <i>Bathycrinus campbellianus</i> , Wyv. Thoms., M.S.,	307
121. <i>Bathycrinus gracilis</i> , Wyv. Thoms.,	307
122. <i>Hyocrinus bethellianus</i> , Wyv. Thoms.,	309
123. <i>Promachocrinus kerguelensis</i> , P. H. Carpenter,	312
124. <i>Thaumacrinus renovatus</i> , P. H. Carpenter,	312
125. Diagram showing the structure of <i>Myzostoma</i> (coloured),	314
126. A, <i>Myzostoma horologium</i> , dorsal surface; B, the same, ventral surface; C, <i>Myzostoma quadri-</i> <i>filum</i> ; D, <i>Myzostoma folium</i> ; E, <i>Stelechopus hyocrini</i> ,	315
127. A. Arm swelling of <i>Pentacrinus alternicirrus</i> , P. H. C., inhabited by <i>Myzostoma pentacrini</i> ; B, swollen pinnule of the same, inhabited by <i>Myzostoma deformatior</i> ; C, arm swelling of <i>Antedon inæqualis</i> , P. H. C., inhabited by <i>Myzostoma tenuispinum</i> ; D, malformed pinnule of the same, inhabited by <i>Myzostoma willemoesii</i> ; E, cyst on the disk of <i>Antedon radiosпина</i> , P. H. C., inhabited by <i>Myzostoma murrayi</i> ,	317
128. East Island, Crozet Group, seen from H.M.S. Challenger, January 2nd, 1874,	319
129. Base of Beak of <i>Diomedea exulans</i> ,	325
130. Beak of <i>Thalassœca glacialisoides</i> ,	325
131. Beak of <i>Aeipetes antarcticus</i> ,	325
132. Diagram representing Mr. Forbes' view of the Classification of the Tubinares,	327
133. Cape Challenger, Kerguelen Island, with Mount Ross in the distance,	343