

Sisymbrium officinale, Scop.

Sisymbrium officinale, Scop., Fl. Car., ii. p. 26; Chapm., Fl. Southern U.S., p. 28; Griseb., Fl. Brit. W. Ind., p. 13.

BERMUDAS.—Introduced. Roadsides—*Lefroy*; *Moseley*; *Reade*.

Annual or perennial. Native of Europe, Western Asia, and North Africa. It is also colonised in the Southern States of North America.

Brassica sinapistrum, Boiss.

Brassica sinapistrum, Boiss., Voy. Bot. dans le midi de l'Espagne, ii. p. 39; Gray, Manual, ed. 5, p. 70. *Sinapis arvensis*, Linn., Sp. Pl., ed. 1, p. 668.

BERMUDAS.—Introduced. Roadsides and waste places—*Lefroy*.

Annual. A very common weed of cultivation in Europe, Temperate Asia, and North Africa, and introduced in many other countries.

Capsella bursa-pastoris, Mœnch.

Capsella bursa-pastoris, Mœnch., Meth. Pl., p. 271; Griseb., Fl. Brit. W. Ind., p. 14; Chapm., Fl. Southern U.S., p. 30.

BERMUDAS.—Introduced. In cultivated and waste ground—*Lane*; *Rein*; *Lefroy*.

Annual. One of the commonest weeds of cultivation in temperate and sub-tropical regions throughout the world.

Senebiera pinnatifida, DC.

Senebiera pinnatifida, DC., Prodr., i. p. 203; Griseb., Fl. Brit. W. Ind., p. 14; Chapm., Fl. Southern U.S., p. 30.

BERMUDAS.—Introduced. Without indication of locality—*Rein*.

A common herb in the warm temperate regions of America, and naturalised in other countries.

Lepidium virginicum, Linn.

Lepidium virginicum, Linn., Sp. Pl., p. 645; Griseb., Fl. Brit. W. Ind., p. 14; Chapm., Fl. Southern U.S., p. 30.

BERMUDAS.—Introduced. Common in waste ground—*Jones*; *Lefroy*.

A North American annual, now naturalised in many countries. "Pepper-grass" of the islanders.

Lepidium ruderale, Linn.

Lepidium ruderale, Linn., Sp. Pl., ed. 1, p. 645; Gray, Manual, ed. 5, p. 74.

BERMUDAS.—Introduced. Roadsides, scarce—*Lane*; common—*Reade*.

Annual. Europe and Asia, and introduced in many other countries.