## Bauhinia, sp.

BERMUDAS.—Introduced. A tree at the model farm—Lefroy.

There is also a flowerless specimen in the British Museum from the Banksian Herbarium, labelled "Bermuda," but without the collector's name.

#### MIMOSEÆ.

# Desmanthus virgatus, Willd.

Desmanthus virgatus, Willd., Sp. Pl., iv. p. 1047; Chapm., Fl. Southern U.S., p. 116; Griseb., Fl. Brit. W. Ind., p. 218.

BERMUDAS.—Indigenous ? Not uncommon—Lefroy.

Tropical and Sub-tropical America, from Florida and Lower California to Buenos Ayres. Introduced in India.

# Leucæna glauca, Benth.

Leucæna glauca, Benth., in Hook. Journ. Bot., iv. p. 416; Trans. Linn. Soc. Lond., xxx. p. 443; Griseb., Fl. Brit. W. Ind., p. 220; Chapm., Fl. Southern U.S., Suppl., p. 619.

BERMUDAS. —Indigenous ? Exceedingly common—Rein; Moseley; Lefroy.

Generally dispersed in warm countries, though most likely of Tropical American origin.

## Acacia paniculata, Willd.

Acacia paniculata, Willd., Sp. Pl., iv. p. 1074; Griseb., Fl. Brit. W. Ind., p. 221.

BERMUDAS.—Introduced ? Very common—Jones.

This is a common Tropical American shrub; but we have seen no Bermudan specimens, and it is probable that Mr Jones may have mistaken Leucana glauca for it.

#### CRASSULACEÆ.

Bryophyllum calycinum, Salisb.

- Bryophyllum calycinum, Salisb., Parad. Lond., t. 3; Bot. Mag., t. 1409; Griseb., Fl. Brit. W. Ind., p. 303.
- BERMUDAS.—Introduced. An abundant weed—Lane; Rein; Lefroy.

A native of Tropical Africa, now common in most warm countries. According to Rein, it was introduced into the Bermudas by a Captain Stowe in 1813.