Lamium amplexicaule, Linn.

Lamium amplexicaule, Linn., Sp. Pl., ed. 1, p. 579; Chapm., Fl. Southern U.S., p. 325. BERMUDAS.—Introduced. Rein; Moseley.

North temperate regions of the Old World, and naturalised in many other countries.

PLANTAGINACEÆ.

Plantago lanceolata, Linn.

Plantago lanceolata, Linn., Sp. Pl., ed. 1, p. 113; Chapm., Fl. Southern U.S., p. 278.

BERMUDAS.—Introduced. Common—Lane; Rein; Moseley.

North temperate regions of the Old World, and widely dispersed as a colonist.

Plantago major, Linn.

Plantago major, Linn., Sp. Pl., ed. 1, p. 112; Chapm., Fl. Southern U.S., p. 277; Griseb., Fl. Brit. W. Ind., p. 389.

BERMUDAS.—Introduced. Very common—Michaux; Lane; Rein; Moseley.

Indigenous or naturalised in all temperate and tropical climates.

Plantago virginica, Linn.

Plantago virginica, Linn., Sp. Pl., ed. 1, p. 113; Chapm., Fl. Southern U.S., p. 278; Griseb., Fl. Brit. W. Ind., p. 389.

BERMUDAS.—Indigenous? Without locality—Lane; Lefroy; Boaz Island—Reade.

New England to Florida, Mexico, and West Indies.

Mr Reade writes: "When first I came here [Royal Naval Hospital] *Plantago virginica* was very common on unenclosed land around my house; but when I put poultry on the ground they exterminated it by eating the unexpanded flower-buds, while the introduced species, *Plantago media* [major?] and *Plantago lanceolata*, thrive vigorously. Governor Lefroy found *Plantago virginica* near Flatts Village, some eighteen miles from here by road; but it seems now to be about extinct."

INCOMPLETÆ.

NYCTAGINEÆ.

Boerhaavia erecta, Linn.

Boerhaavia erecta, Linn., Sp. Pl., ed. 1, p. 3; Chapm., Fl. Southern U.S., p. 373; Grissb., Fl. Brit. W. Ind., p. 69.

BERMUDAS.—Introduced ? Paynter's Vale—Lefroy; common—Reade.

South Carolina to Florida, Mexico, and Central America; and in the West Indies.

Locally known as "Hogweed."