

Mirabilis jalapa, Linn.

Mirabilis jalapa, Linn., Sp. Pl., ed. 1, p. 177; Griseb., Fl. Brit. W. Ind., p. 69.

BERMUDAS.—Introduced. *Lane*; *Lefroy*.

Mexico and West Indies. Cultivated and commonly naturalised in many other countries.

AMARANTACEÆ.

Amarantus hybridus, Linn.

Amarantus hybridus, Linn., Sp. Pl., ed. 1, p. 990; Chapm., Fl. Southern U.S., p. 380.

BERMUDAS.—Introduced. Paynter's Vale—*Lefroy*.

Virginia to Florida and Mexico.

This is regarded by some botanists as a variety of the widely spread *Amarantus retroflexus*, Linn.

Amarantus spinosus, Linn.

Amarantus spinosus, Linn., Sp. Pl., ed. 1, p. 991; Griseb., Fl. Brit. W. Ind., p. 68; Chapm., Fl. Southern U.S., p. 380.

BERMUDAS.—Introduced. Amongst rubbish—*Lane*.

A very widely spread weed in warm countries.

CHENOPODIACEÆ.

Chenopodium album, Linn.

Chenopodium album, Linn., Sp. Pl., ed. 1, p. 219; Chapm., Fl. Southern U.S., p. 376.

BERMUDAS.—Introduced. David Island—*Lefroy*.

A native of the Old World; and a weed of cultivation in all temperate and sub-tropical countries.

Chenopodium ambrosioides, Linn.

Chenopodium ambrosioides, Linn., Sp. Pl., ed. 1, p. 219; Griseb., Fl. Brit. W. Ind., p. 60, var. *anthelminticum*; Gray, Manual, ed. 5, p. 408; Linn., Sp. Pl., ed. 1, p. 220 (species); Chapm., Fl. Southern U.S., p. 377.

BERMUDAS.—Introduced. A weed in cultivated ground—*Lefroy*.

Throughout Tropical and Sub-tropical America, and naturalised in many other parts of the world.

Atriplex cristata, Humb. et Bonpl.

Atriplex cristata, Humb. et Bonpl. ex Willd., Sp. Pl., iv. p. 959.

Obione cristata, Moq. in DC. Prodr., xiii. 2, p. 110.

BERMUDAS.—Indigenous. Common in salt marshes—*Lefroy*.

Cuba, San Domingo, and Venezuela to Peru.