

Sargassum bacciferum, K. A. Agardh.

Sargassum bacciferum, K. A. Agardh, Sp. Alg., i. p. 6; Harv., Nereis Bor.-Am., i. p. 59; Kütz., Sp. Alg., p. 609; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 151.

BERMUDAS. *Kemp*; *Rein*; *Captain Ker*, 1799.

Generally diffused.

Sargassum vulgare, K. A. Agardh.

Sargassum vulgare, K. A. Agardh, Sp. Alg., i. p. 3, quoad α , β , et δ ; Harv., Nereis Bor.-Am., i. p. 57; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 151.

Sargassum boryanum, Mont., Fl. Alg., i. p. 45, t. 1, fig. 3, et Syll. Gen. et Sp. Crypt., p. 385.

BERMUDAS. *Rein*.

Very widely diffused.

Sargassum affine, J. G. Agardh.

Sargassum affine, J. G. Agardh, ex Kütz., Sp. Alg., p. 610; Harv., Nereis Bor.-Am., i. 59; Dickie in Journ. Linn. Soc. Lond., xv. p. 488.

BERMUDAS. *Moseley*; *Rein*.

Eastern Mexico; Brazil; Canaries; Cape of Good Hope.

Sargassum lendigerum, K. A. Agardh.

Sargassum lendigerum, K. A. Agardh, Sp. Alg., i. p. 9; Kütz., Sp. Alg., p. 612; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 151.

BERMUDAS. *Rein*.

Originally described from specimens from the coast of Ascension Island.

SPOROCHNACEÆ.

Sporochnus pedunculatus, K. A. Agardh.

Sporochnus pedunculatus, K. A. Agardh, Sp. Alg., p. 149; Kütz., Sp. Alg., p. 568; Kemp in Canad. Nat. and Geol., May 1857.

BERMUDAS. *Kemp*.

Shores of Western Europe, the Adriatic, and a variety on the coast of South Australia.

DICRYOTACEÆ.

Haliseris justii, K. A. Agardh.

Haliseris justii, K. A. Agardh, Sp. Alg., i. p. 142; Kütz., Sp. Alg., p. 562; Dickie in Journ. Linn. Soc. Lond., xiv. p. 313.

Dictyopteris justii, Lamour., extr. Journ. Philom., p. 18, t. 6.

BERMUDAS. *Moseley*.