

Key West, Florida.

It is probable that the alga named *Bostrychia scorpioides*, Mont., by Kemp, is this species.

Dasya elegans, K. A. Agardh.

Dasya elegans, K. A. Agardh, Sp. Alg., ii. p. 117; Kütz., Sp. Alg., p. 796; Harv., Nereis Bor.-Am., ii. p. 60; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 152.

BERMUDAS. Rein.

Adriatic; Canaries; and common on the eastern coast of North America.

Dasya tumanowiczii, Gatty.

Dasya tumanowiczii, Gatty; Harv., Nereis Bor.-Am., ii. p. 64; Dickie in Journ. Linn. Soc. Lond., xiv. p. 314.

BERMUDAS.—In shallow lagoons—Moseley.

Florida; West Indies; Brazil.

Dasya mucronata, Harv.

Dasya mucronata, Harv., Nereis Bor.-Am., ii. p. 63; Kemp in Canad. Nat. and Geol., May 1857.

BERMUDAS. Kemp.

Key West, Florida.

LAURENCIACEÆ.

Laurencia obtusa, Lamour.

Laurencia obtusa, Lamour., Ess., p. 42; Kütz., Sp. Alg., p. 854; Harv., Phyc. Brit., t. 148, et Nereis Bor.-Am., ii. p. 72; Dickie in Journ. Linn. Soc. Lond., xiv. p. 314.

BERMUDAS. Moseley; Kemp; Rein.

A very widely dispersed species.

Laurencia gemmifera, Harv.

Laurencia gemmifera, Harv., Nereis Bor.-Am., ii. p. 73, t. 18, B.; Dickie in Journ. Linn. Soc. Lond., xiv. p. 314.

BERMUDAS.—Shallow water—Moseley; Rein.

Florida Keys.

Laurencia papillosa, Grev.

Laurencia papillosa, Grev.; J. G. Agardh, Sp. Alg., ii. p. 756; Kütz., Sp. Alg., p. 855; Harv., Nereis Bor.-Am., p. 74; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 152.

BERMUDAS. Kemp; Rein.