

Gigartina teedii, Roth.

Gigartina teedii, Roth, Cat., iii. p. 108; J. G. Agardh, Sp. Alg., ii. p. 266; Kemp. in Canad. Nat. and Geol., May 1857.

BERMUDAS. *Kemp.*

Western Europe; Mediterranean; Adriatic; Cape Verde Islands; Brazil.

Chondrus crispus, Lyngb.

Chondrus crispus, Lyngb., Hydr., p. 15, t. 5; J. G. Agardh, Sp. Alg., ii. p. 246; Harv., Nereis Bor.-Am., ii. p. 181; Kemp in Canad. Nat. and Geol., May 1857.

BERMUDAS. *Kemp.*

Coast of Western Europe and eastern North America, "from the shores of British America to those of Long Island"—*Harvey*.

As neither Rein nor Moseley collected this distinct alga, and as there is no other record of it so far south on the American side of the Atlantic, there is some reason for doubting the Bermudan origin of Kemp's specimen.

Cryptonemia crenulata, J. G. Agardh.

Cryptonemia crenulata, J. G. Agardh, Sp. Alg., ii. p. 225; Harv., Nereis Bor.-Am., ii. p. 184; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 152.

Phyllophora crenulata, J. G. Agardh, Symb., i. p. 18; Kütz., Sp. Alg., p. 791.

BERMUDAS. *Rein.*

Florida; Brazil.

Chrysymenia uvaria, J. G. Agardh.

Chrysymenia uvaria, J. G. Agardh, Sp. Alg., ii. p. 214; Harv., Nereis Bor.-Am., ii. p. 191, t. 20, B.; Rein in Bericht Senckenb. Naturf. Gesellsch., Frankf. am M., 1873, p. 152.

Gastroclonium uvaria, Kütz., Sp. Alg., p. 865.

BERMUDAS. *Kemp*; *Rein*; *Farlow*.

Florida; Mediterranean; Australia; Philippines.

Chrysymenia agardhii, Harv.

Chrysymenia agardhii, Harv., Nereis Bor.-Am., ii. p. 189, t. 30, A.; Dickie in Journ. Linn. Soc. Lond., xiv. p. 315.

BERMUDAS.—A very dwarf and matted variety from shallow water—*Moseley*.

Florida Keys.