

ENUMERATION OF THE PLANTS.

ALGÆ.

MELANOSPERMEÆ.

SPOROCHNACEÆ.

Chnoospora atlantica, J. G. Agardh.

Chnoospora atlantica, J. G. Agardh, Alg. Liebm., p. 7; Dickie in Journ. Linn. Soc. Lond., xiv. p. 356.

Chnoospora fastigiata β *atlantica*, J. G. Agardh, Sp. Alg., i. p. 172; Harv., Nereis Bor.-Am., i. p. 79.

ST PAUL'S ROCKS. *Moseley*.

A very slender form, the peculiar dilatations below the axils of the segments only here and there apparent.

La Guayra, Venezuela; Fernando-Noronha.

DICTYOTACEÆ.

Dictyota cuneata, n. sp.?

Dictyota cuneata, n. sp.? Dickie in Journ. Linn. Soc. Lond., xiv. p. 356.

Radicans inferne, attenuata; segmentis paucis, sursum dilatatis, apicibus obtusis rotundatis. Fructus?

ST PAUL'S ROCKS. *Moseley*.

Hitherto not found elsewhere.

Nearest in habit to *Dictyota polycarpa*.

ECTOCARPACEÆ.

Ectocarpus breviarticulatus, J. G. Agardh.

Ectocarpus breviarticulatus, J. G. Agardh, Alg. Liebm., p. 7, et Sp. Alg., i. p. 16; Dickie in Journ. Linn. Soc. Lond., xiv. p. 356.

ST PAUL'S ROCKS. *Moseley*.

Very plentiful, growing upon the *Chnoospora*.