

Mastigophora (Sendtnera) leioclada, Mitt.

Mastigophora (Sendtnera) leioclada, Mitt. in Melliss's St. Helena, p. 370.

Jungermannia leioclada, Tayl. in Hook. Lond. Journ. Bot., 1845, p. 85; G. L. et N., Synop. Hepat., p. 723 (*Sendtnera*).

ASCENSION.—Endemic. *Hooker; Moseley*.

The specimens exactly agree with those originally collected; they are found growing amongst *Campylopus*.

It is not improbable that they are a small or young state of the *Mastigophora dielados* so often gathered in Mauritius.

Symphogyna convoluta, L. G. et N.

Symphogyna convoluta, L. G. et N., Synop. Hepat., p. 485; Melliss, St. Helena, p. 372.

Jungermannia convoluta, Tayl. in Hook. Lond. Journ. Bot., 1845, p. 94.

ASCENSION.—Endemic. *Hooker*.

Lejeunia pterota, Tayl.

Lejeunia pterota, Tayl. in Hook. Lond. Journ. Bot., 1845, p. 91; L. G. et N., Synop. Hepat., p. 367.

Lejeunia ascensionis, Tayl. ibidem fide Mitten in Melliss's St. Helena, p. 371.

ASCENSION. *Hooker; Moseley*.

Also in St Helena.

Lejeunia, sp.

Lejeunia, sp.

ASCENSION. *Moseley*.

A minute species creeping on *Calymperes*; it has acute leaves, a large inflated lobule, and tripartite amphigastria; it is in too incomplete a state to afford characters whereby it might be recognised.

Frullania ericoides, Nees.

Frullania ericoides, Nees; G. L. and N., Synop. Hepat., p. 417.

ASCENSION. *Lesson*.

West Indies; South America; Polynesia; India; Java.

Plagiochasma limbatum, Nees.

Fegatella limbatum, Tayl. in Hook. Lond. Journ. Bot., 1845, p. 95; L. G. et N., Synop. Hepat., p. 516.

ASCENSION. *Hooker*.

Also in St Helena.