

LECANOREI.

Lecanora subfusca, var. *granulata*, Nyl.

Lecanora subfusca, var. *granulata*, Nyl., Lich. Antill., p. 11; Crombie in Journ. Linn. Soc. Lond., xvi. p. 222.

INACCESSIBLE ISLAND.—Apparently common—*Moseley*.
Guadaloupe.

Lecanora (Placopsis) gelida, Linn.

Lecanora (Placopsis) gelida, Linn.; Acharius, Lich. Univ., p. 428; Crombie in Journ. Linn. Soc. Lond., xvi. p. 222.

TRISTAN DA CUNHA. *Moseley*.

North-West Europe; Greenland; Fuegia; Kerguelen; New Zealand.

Lecanora acunhana, Nyl.

Lecanora acunhana, Nyl. in Journ. Linn. Soc. Lond., xvi. p. 222.

TRISTAN DA CUNHA.—Endemic. On rocks, very sparingly seen—*Moseley*.

“Species bene distincta videtur in stirpe *Lecideæ dispersæ*,” Nylander.

Thouars (Esquisse Fl. Trist., p. 26) enumerates sixteen lichens, and his enumeration is repeated here for what it is worth:—

Lichen viridiflavus, Thouars. = *Sticta crocata*, Acharius.

Lichen tenellus, Thouars, n. sp.

Lichen pubescens, Thouars, n. sp.

Lichen xerampelinus, Thouars, n. sp.

Lichen gelatinosus, Thouars. = *Collema*, Acharius.

Lichen sp., Thouars.

Lichen caninus, Linn. = *Peltidea canina*, Acharius.

Lichen centrifugus, Linn. = *Parmelia centrifuga*, Acharius.

Lichen farinaceus, Linn. = *Parmelia farinacea*, Acharius.

Lichen caperatus, Linn. = *Parmelia caperata*, Acharius.

Lichen scyphifer, Linn. = *Bæomyces pyxidatus*, Acharius.

Lichen gracilis, Linn. = *Bæomyces gracilis*, Acharius.

Lichen paschalis, Linn. = *Stereocaulon paschale*, Acharius.

Lichen vulpinus, Linn. = *Parmelia vulpina*, Acharius.

Lichen plicatus, Linn. = *Usnea plicata*, Acharius.

Lichen sp.

FUNGI.

HYMENOMYCETES.

AGARICINI.

Agaricus (Pholiota) phyllicigena, Berkl.

Agaricus (Pholiota) phyllicigena, Berkl. in Journ. Linn. Soc., xv. p. 52.

Pileo convexo carnosio areolato fulvo, primum lævissimo; stipite crasso sursum