

RHODYMENIACEÆ.

Plocamium coccineum, Kütz.

Plocamium coccineum, Kütz., Phyc. Gener., p. 442, t. 64, et Sp. Alg., p. 883; Dickie in Journ. Linn. Soc. Lond., xiv. p. 385.

Fucus plocamium, Gmel.; Thouars, Esquisse Fl. Trist., p. 26.

TRISTAN DA CUNHA. *Moseley; Thouars.*

Generally diffused in both north and south temperate and subtropical regions.

CRYPTONEMIACEÆ.

Gymnogongrus capensis, J. G. Agardh.

Gymnogongrus capensis, J. G. Agardh, Sp. Alg., iii. p. 213; Dickie in Journ. Linn. Soc. Lond., xiv. p. 386.

Chondrus complicatus, Kütz., Tab. Phyc., xvii., t. 58.

TRISTAN DA CUNHA and INACCESSIBLE ISLANDS. *Moseley.*

Cape of Good Hope; Mauritius.

Callophyllis discigera, Kütz.

Callophyllis discigera, Kütz., Sp. Alg., p. 745; Dickie in Journ. Linn. Soc. Lond., xiv. p. 385.

Rhodomenia discigera, J. G. Agardh, Symb., i. p. 15.

TRISTAN DA CUNHA. *Moseley.*

Cape of Good Hope.

Gigartina radula, Esp.

Gigartina radula, Esp., Icon., t. 113; J. G. Agardh, Sp. Alg., iii. p. 202; Dickie in Journ. Linn. Soc. Lond., xiv. p. 386.

TRISTAN DA CUNHA and INACCESSIBLE ISLAND. *Moseley.*

The extreme south of America; Falkland Islands; Cape of Good Hope; Kerguelen Island.

Iridæa capensis, J. G. Agardh.

Iridæa capensis, J. G. Agardh, Sp. Alg., iii. p. 180; Dickie in Journ. Linn. Soc. Lond., xiv. p. 385.

TRISTAN DA CUNHA. *Moseley.*

Cape of Good Hope; Kerguelen Island.

Epymenia obtusa, Kütz.

Epymenia obtusa, Kütz., Sp. Alg., p. 787; Dickie in Journ. Linn. Soc. Lond., xiv. p. 385.

TRISTAN DA CUNHA. *Moseley.*

Marion Island; Aucklands; New Zealand; Cape Horn; Cape of Good Hope.