

UMBELLIFERÆ.

*Azorella selago*, Hook. f.

*Azorella selago*, Hook. f., Fl. Antarct., p. 284, t. 99, et in Phil. Trans. Roy. Soc. Lond., clxviii. p. 20.

KERGUELEN ISLAND.—Very abundant throughout the island.

RUBIACEÆ.

*Galium antarcticum*, Hook. f. (Plate XL.)

*Galium antarcticum*, Hook. f., Fl. Antarct., p. 303 *bis*, et in Phil. Trans. Roy. Soc. Lond., clxviii. p. 20.

KERGUELEN ISLAND.—Common, but not found at Christmas Harbour.

COMPOSITÆ.

*Cotula (Leptinella) plumosa*, Hook.

*Cotula (Leptinella) plumosa*, Hook. f., Fl. Antarct., p. 26 et 308, t. 20, et in Phil. Trans. Roy. Soc. Lond., clxviii. p. 21.

KERGUELEN ISLAND.—On cliffs, especially near the sea, often forming immense luxuriant blue-green patches where the soil is enriched by the dung of birds and seals.

SCROPHULARINEÆ.

*Limosella aquatica*, Linn.

*Limosella aquatica*, Linn.; Hook. f., Handb. Fl. N. Zeal., p. 204, et in Phil. Trans. Roy. Soc. Lond., clxviii. p. 21.

KERGUELEN ISLAND.—Common in the freshwater lagoon at Christmas Harbour.

JUNCACEÆ.

*Juncus scheuchzerioides*, La Harpe.

*Juncus scheuchzerioides*, La Harpe, ex Gaud. in Ann. Sc. Nat., v. p. 100; Hook. f., Fl. Antarct., pp. 79, 358, et in Phil. Trans. Roy. Soc. Lond., clxviii. p. 21.

KERGUELEN ISLAND.—Common in spongy places.

CYPERACEÆ.

*Uncinia compacta*, R. Br.

*Uncinia compacta*, R. Br.; Boott in Hook. f. Fl. Tasman., ii. p. 103, t. 153, B.; Hook. f. in Phil. Trans. Roy. Soc. Lond., clxviii. p. 21.

*Uncinia moseleyana*, Bœckel. in Flora, 1878, p. 170.

KERGUELEN ISLAND.—Royal Sound and Observatory Bay.