

Ficus ampelas, Burm.

Ficus ampelas, Burm. ; Miq., Fl. Ind. Bat., i. 2, p. 303, et in Ann. Mus. Bot. Lugd. Bat., iii. p. 272.
Ficus rubricaulis, DCNE., Herb. Timor Descr., p. 168.

TIMOR LAUT.—Also in Java, the Celebes, and Timor.

Ficus rostrata, Lam.

Ficus rostrata, Lam. ; Miq. in Ann. Mus. Bot. Lugd. Bat., iii. p. 274, et Fl. Ind. Bat., i. 2, p. 307.

KI.—Generally dispersed in the Archipelago, extending to Sumatra and the Philippines. It is very variable in foliage, and includes the forms at first described by Miquel as species under the names *Ficus lobbii*, *Ficus raridens*, *Ficus obtusidens*, and *Ficus angulidens*.

Ficus decaisneana, Miq.

Ficus decaisneana, Miq., Fl. Ind. Bat., i. 2, p. 312.

Ficus firmula, Miq., et *Ficus trematocarpa*, Miq. in Ann. Mus. Bot. Lugd. Bat., i. 2, p. 224.

KI; TIMOR LAUT; LAKOR.—Also in Ceram, Buru, Amboina, and Timor.

Ficus fistulosa, Reinw.

Ficus fistulosa, Reinw. ; Miq. in Ann. Mus. Bot. Lugd. Bat., iii. p. 284.

DAMMAR.—A very distinct species, of which we have seen specimens from the Khasya Mountains in India, from Java, and from Borneo.

Ficus ribes, Reinw.

Ficus ribes, Reinw. ; Miq. in Ann. Mus. Bot. Lugd. Bat., iii. p. 284.

Covellia ribes, Miq., Fl. Ind. Bat., i. 2, p. 325.

Covellia paniculata, Miq., et *Covellia microcarpa*, Miq. in Hook. Lond. Journ. Bot., vii. (1848), pp. 466 et 467.

ARROU.—Philippines and Sumatra, through the Archipelago.

Ficus magnifolia, F. Muell.

Ficus magnifolia, F. Muell. ; Benth., Fl. Austr., vi. p. 171.

ARROU; DAMMAR.—The only other specimens we have seen are from Mount Elliott and Rockingham Bay, Queensland, Australia.

Ficus pumila, Linn.

Ficus pumila, Linn. ; Miq. in Ann. Mus. Bot. Lugd. Bot., iii. p. 294; Maximowicz in Mélanges Biologiques, Diag. Pl. Nov. Asiat., iv. p. 342.

Ficus stipulata, Thunb., fide Miqueli.

ARROU.—The specimen is a barren form, and may possibly belong to a different species. *Ficus pumila* is common in Japan, and also occurs in China.