

PLATE XXVII.

	PAGE
Figure 1. <i>Amphora speciosa</i> , n. sp.	17
„ 2. <i>Amphora philippinica</i> , n. sp.	19
Figures 3 and 7. <i>Navicula</i> , sp. (?)	35
Figure 4. <i>Cymbella pelagica</i> , n. sp.	21
„ 5. <i>Cymbella criophila</i> , n. sp.	21
„ 6. <i>Amphora staurophora</i> , n. sp.	20
„ 8. <i>Amphora polyzonata</i> , n. sp., var. nov.	18
„ 9. <i>Stauroneis glacialis</i> , n. sp., var. nov.	25
„ 10. <i>Navicula</i> , sp. (?)	35
„ 11. <i>Stauroneis glacialis</i> , n. sp.	24
„ 12. <i>Ceratoneis arcus</i> , Kg.= <i>Eunotia Arcus</i> , W. Sm.	50
The form here shown was found not unfrequently in the gathering from the port of Tahiti. It approaches in its character the genus <i>Amphora</i> , and may probably belong to this genus.	
„ 13. <i>Cymbella marina</i> , n. sp.	21
„ 14. <i>Amphora decora</i> , n. sp.	18
„ 15. <i>Amphora thaitiana</i> , n. sp.	19
„ 16. <i>Amphora meneghiniana</i> , n. sp.	17
„ 17. <i>Navicula decipiens</i> , n. sp.	32
„ 18. <i>Amphora polyzonata</i> , n. sp.	18
„ 19. <i>Amphora scalaris</i> , n. sp.	18
„ 20. <i>Amphora oceanica</i> , n. sp.	20