

	Range in Depth. Fathoms.	Principal Localities.	Tertiary.	Cretaceous.	Jurassic.
<i>Echinarachnius</i> —continued.					
<i>E. parma</i> , Gray.	-306 B.	{ New Jersey; Labrador; off George's Bank, Vancouver Island; Kamtchatka; Aleu- tian Islands; Japan; Aus- tralia; India; Red Sea.	{ North America; Patagonia; Australia.		
<i>Arachnoides</i> , Kl.					
<i>A. placenta</i> , Agass.	—	{ New Zealand; Australia; East India Islands; Burmah.	{ Miocene. California ( <i>Asterodaspis</i> ?) Australia.		
<i>Echinodiscus</i> , Breyn.					
<i>E. auritus</i> , Leske.	—	Zanzibar; Philippine Islands.	{ France; Austria.		
<i>E. biforis</i> , A. Ag.	—	{ Mozambique; Red Sea; Java; Cape of Good Hope.			
× <i>E. laevis</i> , A. Ag.	—	{ Japan; New Caledonia; East India Islands; South Africa.			
<i>Mellita</i> , Kl.					
<i>M. erythrea</i> , Gray.	—	Red Sea (?).	{ Pleistocene. North America.		
<i>M. longifissa</i> , Mich.	—	Panama; Gulf of California.			
<i>M. pacifica</i> , Verrill.	—	Peru.			
× <i>M. sexforis</i> , A. Ag.	-270 B.	{ West India Islands; South Carolina; Bermudas; Brazil. Guayaquil; Panama; Gala- pagos.			
<i>M. stokesii</i> , A. Ag.	—	{ Brazil; West India Islands; North and South Carolina; Nantucket.			
<i>Astrichypeus</i> , Verrill.					
× <i>A. manni</i> , Verrill.	—	China; Japan.			
<i>Rotula</i> , Kl.					
<i>R. augusti</i> , Kl.	—	Liberia.			
<i>R. runyphii</i> , Kl.	—	Senegal; Cape Verde Islands.			
<i>Encops</i> , Agass.					
<i>E. californica</i> , Verrill.	—	Gulf of California.	{ Pleistocene. North America.		
× <i>E. emarginata</i> , A. Ag.	-70 C.	{ Brazil; West Indies; Yuca- tan; Florida; South Caro- lina.			
<i>E. grandis</i> , Agass.	—	Gulf of California.			
<i>E. michelini</i> , Agass.	-11 B.	Yucatan; Florida.			
<i>E. micropora</i> , Agass.	—	Panama; Gulf of California.			
PETALOSTICHA, Hæckel.					
CASSIDULIDÆ, Agass.					
ECHINONEIDÆ, Agass.					
<i>Echinonæus</i> , Van Phel.					
<i>E. cyclostomus</i> , Leake.	—	{ Australia; Kingsmills Islands; Zanzibar; East India Islands. Florida; West India Islands.	{ Miocene. North America; West Indies.		
<i>E. semilunaris</i> , Lamk.	—				
NUCLEOLIDÆ, Agass.					
<i>Neolampas</i> , A. Ag.					
<i>N. rostellata</i> , A. Ag.	100-690 B. P.	{ Straits of Florida; Caribbean Islands; North-East Atlantic.			