

	Range in Depth and Principal Localities.
<i>Strongylocentrotus</i> , Br.	
⊕ <i>S. eurythrogrammus</i> , A. Ag., . . . .	× New Caledonia (Australian).
<i>S. gibbosus</i> , A. Ag., . . . .	Fiji Islands; Galapagos (Chilian).
<i>S. nudus</i> , A. Ag., . . . .	Sandwich Islands; Galapagos (Indian).
<i>S. tuberculatus</i> , Br., . . . .	South Sea (African; Australian).
<i>Sphærechinus</i> , Des.	
<i>S. australiæ</i> , A. Ag., . . . .	South Sea; Fiji Islands (Australian).
<i>Pseudoboletia</i> , Trosch.	
<i>P. granulata</i> , A. Ag., . . . .	Sandwich Islands.
⊕ <i>P. indiana</i> , A. Ag., . . . .	× Samboangan, 10 fathoms (Indo-African).
<i>Echinostrephus</i> , A. Ag.	
<i>E. molare</i> , A. Ag., . . . .	Kingsmills; Society and Sandwich Islands (African-Indian-Pacific).
ECHINIDÆ, Agass.	
TEMNOPLEURIDÆ, Des.	
<i>Temnopleurus</i> , Agass.	
× <i>T. hardwickii</i> , A. Ag., . . . .	× Arafura Sea; × Station 192, 129 fathoms (Indian)
× <i>T. reynaudi</i> , Agass., . . . .	× Station 219, 150 fathoms; × Station 192, 129 fathoms (Indian).
<i>T. toreumaticus</i> , Agass., . . . .	New Caledonia (Indo-African).
<i>Pleurechinus</i> , Agass.	
⊕ <i>P. bothryoides</i> , Agass., . . . .	× Station 186, 8 fathoms (Galapagos ?).
<i>Prionechinus</i> , A. Ag.	
* <i>P. sagittiger</i> , A. Ag., . . . .	× Station 207, 700 fathoms; × Station 218, 1070 fathoms.
<i>Cottaldia</i> , Des.	
* <i>C. forbesiana</i> , A. Ag., . . . .	× Station 173, 310-315 fathoms.
<i>Microcyphus</i> , Agass.	
<i>M. maculatus</i> , Agass., . . . .	South Pacific; Navigator Islands (Indian).
<i>Trigonocidaris</i> , A. Ag.	
* <i>T. monolini</i> , A. Ag., . . . .	× Station 170, 520 fathoms.
<i>Salmacis</i> , Agass.	
× <i>S. bicolor</i> , Agass., . . . .	× Samboangan, 10 fathoms (Indo-African).
× <i>S. dussumieri</i> , Agass., . . . .	× Amboyna, 100 fathoms; × Station 212, 10-20 fathoms (Indian).
× <i>S. globator</i> , Agass., . . . .	× Station 186, 8 fathoms (Indian).
× <i>S. rarispina</i> , Agass., . . . .	× Station 186, 8 fathoms; × Station 188, 28 fathoms (Indo-African).
× <i>S. sulcata</i> , Agass., . . . .	× Off Cebu (Indo-African).
<i>Mespilia</i> , Des.	
× <i>M. globulus</i> , Agass., . . . .	{ Sandwich Islands; Navigator Islands; Tonga; × Samboangan, 10 fathoms { (Indian-Pacific).
<i>Amblypneustes</i> , Agass.	
<i>A. pallidus</i> , Val., . . . .	Fiji Islands (Australian).
TRIPLECHINIDÆ, A. Ag.	
<i>Echinus</i> , Rond. (Linn.).	
⊕ <i>E. acutus</i> , Lamk., . . . .	× Station 170, 630 fathoms (Atlantic).
⊕ <i>E. elegans</i> , Düb. o. Kor., . . . .	× Station 219, 150 fathoms (Atlantic).
<i>Toxopneustes</i> , Agass.	
<i>T. maculatus</i> , A. Ag., . . . .	Fiji Islands; Christmas Island.
× <i>T. pileolus</i> , Agass., . . . .	{ Navigator Islands; Fiji Islands; × Honolulu; × Samboangan, 10 { fathoms (African-Indian-Pacific).