

|   | Range in Depth and Principal Localities.  |
|---|---|
| <i>Hipponoë</i> , Gray.<br>× <i>H. variegata</i> , A. Ag., . . . .  | { Pelew; Fiji and Sandwich Islands; ×Samboangan, 10 fathoms;<br>×Kandavu (African-Indian-Pacific).  |
| <i>Evechinus</i> , Verrill.<br>× <i>E. chloroticus</i> , Verrill, . . . .   | Christmas Island; ×Kandavu Reef (Australian).   |
| CLYPEASTRIDÆ, Agass.<br>EUCLYPEASTRIDÆ, Hæckel.<br>FIBULARINA, Gray.  |   |
| <i>Fibularia</i> , Lamk.<br><i>F. australis</i> , Desml., . . . .<br>× <i>F. volva</i> , Agass., . . . .                                  | Sandwich Islands; South Sea.<br>Kingsmills Islands; ×Station 188, 28 fathoms (Indo-African).  |
| ECHINANTHIDÆ, A. Ag.  |   |
| <i>Clypeaster</i> , Lamk.<br>× <i>C. humilis</i> , A. Ag., . . . .<br>× <i>C. scutiformis</i> , Lamk., . . . .                            | { New Caledonia; ×Station 212, 10-20 fathoms; ×Amboyna, 15-20 fathoms<br>(Indo-African).<br>{ Kingsmills Islands; Sandwich Islands; ×New Caledonia (African-<br>Indian-Pacific).  |
| <i>Echinanthus</i> , Breyn.<br><i>E. testudinarius</i> , Gray, . . . .  | Sandwich Islands.   |
| LAGANIDÆ, Des. (emend.).  |   |
| <i>Laganum</i> , Kl.<br><i>L. bonani</i> , Kl., . . . .<br>× <i>L. depressum</i> , Less., . . . .<br>⊕ <i>L. putnami</i> , Barn., . . . . | Pelew Islands (Indian).<br>{ South Pacific; ×Arafura Sea; Fiji and Sandwich Islands; ×Station<br>187, 6 fathoms (African-Indian-Pacific).<br>×Amboyna, 15-25 fathoms (Indian).  |
| <i>Peronella</i> , Gray.<br>× <i>P. decagonalis</i> , A. Ag., . . . .   | { New Caledonia; ×Gaspar Straits, 12 fathoms; ×Amboyna, 15-20 fathoms;<br>×Tongatabu; ×Tahiti, 20 fathoms; ×Torres Straits; ×Station 173,<br>310-315 fathoms; ×Station 186, 8 fathoms; ×Station 188, 28 fathoms;<br>×Station 190, 49 fathoms; ×Station 192, 129 fathoms; ×Station 208,<br>18 fathoms; ×Station 212, 10-20 fathoms; ×Station 219, 150 fathoms<br>(Indian-Pacific). |
| SCUTELLIDÆ, Agass.  |   |
| <i>Arachnoides</i> , Kl.<br><i>A. placenta</i> , Agass., . . . .  | South Sea; Solomon Islands (Indian; Australian).  |
| <i>Echinodiscus</i> , Breyn.<br>× <i>E. levis</i> , A. Ag., . . . .   | New Caledonia (Indo-African).   |
| PETALOSTICHA, Hæckel.<br>CASSIDULIDÆ, Agass.<br>ECHINONIDÆ, Agass.  |   |
| <i>Echinonëus</i> , Van Phel.<br><i>E. cyclostomus</i> , Leske, . . . .   | Navigator, Kingsmills, and Sandwich Islands (African-Indian-Pacific).   |
| <i>Echinolampas</i> , Gray.<br>× <i>E. oviformis</i> , Gray, . . . .  | ×Station 192, 129 fathoms (Indo-African).   |
| <i>Catopygus</i> , Agass.<br>* <i>C. recens</i> , A. Ag., . . . .   | ×Station 192, 129 fathoms.  |
| <i>Nucleolites</i> , Lamk.<br>× <i>N. epigonus</i> , Mart., . . . .   | Lord Hood's Island (Indian).  |