

*Amphiura barbaræ*, Lym., Ill. Cat. Mus. Comp. Zool., No. viii., part 2, p. 17, pl. iii. figs. 32, 54.

Santa Barbara, California ; 22 fathoms.

*Amphiura atra*, Ltk., Addit. ad Hist., part 2, p. 118, 1859.

*Ophiolepis atra*, Stimp., Proc. Bost. Soc. Nat. Hist., vol. iv. p. 225, 1852.

South Carolina.

*Amphiura lütkeni*, Lym.

*Amphipholis lütkeni*, Ljn., Dr. Goës, Oph. Öf. Kong. Akad., p. 636, 1871.

West Indies ; 10 fathoms.

*Amphiura urtica*, Lym., Proc. Bost. Soc. Nat. Hist., vol. vii. p. 195, 1860 ; Ill. Cat. Mus. Comp. Zool., No. i. p. 128.

Puget Sound.

*Amphiura occidentalis*, Lym., Proc. Bost. Soc. Nat. Hist., vol. vii. p. 194, 1860 ; Ill. Cat. Mus. Comp. Zool., No. i. p. 130, figs. 12, 13.

Monterey, Cal., to Puget Sound.

*Amphiura chilensis*, Ltk., Addit. ad Hist., part 2, p. 122, 1859.

*Ophiolepis chilensis*, Mull. & Tr., Wieg. Archiv, vol. ix. p. 120, 1843 ; Lym., Ill. Cat. Mus. Comp. Zool., No. viii., part 2, p. v., fig. 77, 1875.

Chili ; 3 fathoms.

*Amphiura fissa*, Ltk., Addit. ad Hist., part 3, p. 30, 1869.

Amoor.

*Amphiura ørstedii*, Ltk., Vid. Meddel., March, 1856, p. 26 ; Addit., ad Hist., part 2, p. 121, 1859.

West Coast of Central America ; 3 fathoms.

*Amphiura repens*, Lym., Ill. Cat. Mus. Comp. Zool., No. viii., part 2, p. 18, pl. iii. figs. 38-40.

West Coast of Florida ; 14 fathoms.

*Amphiura pulchella*, Lym., Bull. Mus. Comp. Zool., vol. i., part 10, p. 337, 1869.

Florida ; 18 to 39 fathoms.