	1			0.11	
		Ophiocoma miliaria.	Ophiocoma antarctica.	Ophiocoma nigra.	
Peristomial plate.	{	Thin, in three pieces, with a crust over outer open angle as in Ophiocamax.	Thick, in one or two pieces as in Ophiacantha.	Thick, in two pieces.	
Spines.	{	Hollow, round, standing on outer edge of side arm plate.	Hollow, round, standing on outer edge of side arm plate, but at an angle.	Hollow, somewhat flat on sides of side arm plate, and at a right angle to arm.	
Radial shields.	{	Rounded.	Small, narrow, no scale rows in any of the three species.	Scapula shape.	
Genital plate and scale.	{	Plate flattened, with longish head. Scale long and blade shape.	The same.	The same.	
Teeth and tooth papillæ.	{	Teeth simple.	Teeth with few tooth papillæ.	Teeth and many tooth papil- læ as in true <i>Ophiocoma</i> .	
Arm bones.	{	Thin rim; faces normal about as in Ophiocoma.	The same.	The same.	

As well as I can judge from description and figures and my own notes, Ophioconis forbesii would be of the same genus as Ophiocoma miliaria. Ophiocoma antarctica differs in having arm spines at somewhat of an angle; different peristomial plate and a few tooth papillæ. Ophiocoma nigra differs as does Ophiocoma antarctica, and also in numerous tooth papillæ, and in spines at a right angle to the arm; being in these two respects a true Ophiocoma. All three species agree in—(1) hollow spines, (2) genital plates, &c., (3) arm bones, (4) disk scaling and outer granulation. Ophiocoma nigra differs from Ophiocoma in hollow spines; in peristomial plate, and in radial shield without any scale lines.

See Plate XLII. figs 9-13.

TABLE OF SPECIES OF Ophiocoma.

				-						
	Arm spines ringed with o	larker and light	er,			Ophiocoma scolopendrina.				
tentacle scales.	Arm spines not ringed. in the preceding,	Central disk so	ales much coarser	and thicker	than }	Ophiocoma erinaceus.				
	Doubtful species, .				.{	Ophiocoma wendtii. Ophiocoma schoenleini.				
	Upper arm spine swelle squarish, .	n. Upper ar	m plates narrow.	Mouth sh	$\left. egin{array}{c} egin{arr$	Ophiocoma echinata.				
Two	Disk closely and finely granulated above and below (in other species scattered, and almost none below). Upper arm plates regular and clean cut,									
	Doubtful species, .		•			Ophiocoma squamata.				
	Arm spines regular, taper	ing, and pointed	l. Coloration var	iegated, .		Ophiocoma pica.				