

North Latitude.					GENUS.	SPECIES.	South Latitude.				
45°-40°	40°-30°	30°-20°	20°-10°	10°-0°			0°-10°	10°-20°	20°-30°	30°-40°	40°-55°
					.	<i>Styela exigua</i> ,	+
	+				.	<i>clava</i> ,	+
					.	<i>oblonga</i> ,	+
					.	<i>flava</i> ,	+
					.	<i>glaucus</i> ,	+
					.	<i>radicosa</i> ,	+
					.	<i>Polycarpa viridis</i> ,	+
					.	<i>tincta</i> ,	+
					.	<i>minuta</i> ,	+
					.	<i>molyculoides</i> ,	+
					.	<i>quadrata</i> , .	.	+	.	.	
					.	<i>pilella</i> , .	.	+	.	.	
					.	<i>rigida</i> ,	+
					.	<i>longisiphonica</i> ,	+
					.	<i>irregularis</i> ,	
					.	<i>sulcata</i> , .	.	+	.	.	
					.	<i>pedata</i> ,	
					.	<i>radicata</i> ,	+
					.	<i>Bathyoncus mirabilis</i> ,	+
					.	<i>Corynascidia suhmi</i> ,	+
	+	+			.	<i>Corella japonica</i> ,	+
					.	<i>Abyssascidia wyvillei</i> ,	+
					.	<i>Pachychlaena obesa</i> ,	+
					.	<i>gigantea</i> ,	+
					.	<i>oblonga</i> ,	+
					.	<i>Ascidia challengerii</i> ,	+
					.	<i>vasculosa</i> ,	+
					.	<i>placenta</i> ,	+
	+				.	<i>nigra</i> ,	+
					.	<i>meridionalis</i> ,	+
					.	<i>falcigera</i> ,	+
					.	<i>tenua</i> ,	+
					.	<i>translucida</i> ,	+
					.	<i>cylindracea</i> ,	+
					.	<i>despecta</i> ,	+
					.	<i>pyriformis</i> ,	+
					.	<i>Ciona flemingi</i> ,	
					.	<i>savignyi</i> ,	
	+				.	<i>Hypobrythius calycodea</i> ,	
					.	<i>moseleyi</i> ,	+
					.	<i>Clarelina enormis</i> ,	+
					.	<i>oblonga</i> ,	
	+				.	<i>Ecteinascidia turbinata</i> ,	
					.	<i>fusca</i> , .	.	+	.	.	
	+				.	<i>crassa</i> , .	.	+	.	.	