

PLATE LXVI.

FRONDICULARIA.—VAGINULINA.—CRISTELLARIA.

(b, Oral aspect.)

	Diam.	Page
Figures 1, 2.— <i>Frondicularia robusta</i> , n. sp.,		523
Fig. 1b, Oral aspect. Fig. 1. × 75; fig. 2,	× 17	
„ 3-5.— <i>Frondicularia alata</i> , d'Orbigny (Flabelline variety),	× 15-20	522
„ 6, 7.— <i>Frondicularia interrupta</i> , Karrer,	× 60	523
„ 8-12.— <i>Frondicularia inæqualis</i> , Costa,		521
Figs. 8-11. × 60; fig. 12,	× 45	
„ 13-15.— <i>Vaginulina legumen</i> , Linné, sp.,	× 30	530
Fig. 15b, Oral aspect.		
„ 16.— <i>Vaginulina margaritifera</i> , Batsch, sp.,	× 13	532
„ 17.— <i>Cristellaria obtusata</i> , Reuss,	× 25	536
b, Oral aspect.		
„ 18, 19.— <i>Vaginulina bruckenthali</i> , Neugenboren,	× 17	532
„ 20.—Intermediate specimen with Vaginuline commencement, and final Nodosarian chamber,	× 60	
„ 21-23.— <i>Cristellaria tenuis</i> , Bornemann, sp.,		
Figs. 21. × 35; figs. 22, 23,	× 20	535
„ 24, 25.— <i>Cristellaria obtusata</i> , var. <i>subalata</i> , nov.,	× 20	536