

PLATE LXVIII.

CRISTELLARIA.

	Diam.	Page
Figure 1.— <i>Cristellaria crepidula</i> , Fichtel and Moll, sp., Specimen mounted in Canada balsam; with young shells in some of the later chambers.	× 50	542
„ 2.—Portion of the same, more highly magnified,	× 100	
„ 3, 4.— <i>Cristellaria tricarmella</i> , Reuss, b, Front peripheral aspect.	× 50	540
„ 5-9.— <i>Cristellaria siddalliana</i> , Brady, Figs. 5-8. Lateral aspect; fig. 9, front peripheral aspect.	× 35	541
„ 10.— <i>Cristellaria cassis</i> , Fichtel and Moll, sp.,	× 30	552
„ 11-16.— <i>Cristellaria variabilis</i> , Reuss, Figs. 11-15. Lateral aspect of specimens in various stages of growth; fig. 16, oral aspect.	× 50	541
„ 17, 18, 20-23.— <i>Cristellaria italica</i> , Defrance, sp., Figs. 17, 18. Lateral aspect; fig. 20, front peripheral aspect; figs. 21-23, oral aspect.	× 15-20	544
„ 19.— <i>Cristellaria latifrons</i> , n. sp. (see also Pl. CXIII. fig. 11),	× 20	544