

PLATE LXXXVII.

DISCORBINA.

		Diam.	Page
Figures 1, 4.—	<i>Discorbina rosacea</i> , d'Orbigny, sp.,	·	644
	Fig. 1. <i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect,	× 100	
	Fig. 4. <i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect,	× 50	
,, 2.—	<i>Discorbina vesicularis</i> , Lamarck, sp.,	× 35	651
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		
,, 3.—	<i>Discorbina rugosa</i> , d'Orbigny, sp.,	× 60	652
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		
,, 5-7.—	<i>Discorbina valvulata</i> , d'Orbigny, sp.,	·	644
	Fig. 5. <i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect,	× 75	
	Figs. 6, 7. Small adherent specimens,	× 100	
,, 8.—	<i>Discorbina turbo</i> , d'Orbigny, sp.,	× 60	642
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		