

PLATE CII.

GYPSINA.—CYMBALOPORA.

		Diam.	Page
Figures	1-6.— <i>Gypsina inhærens</i> , Schultze, sp.,	× 30-40	718
	Figs. 1-3. Free surface; fig. 4, adherent surface; fig. 5, peripheral aspect; fig. 6, horizontal section of the test, viewed by transmitted light.		
„	7-12.— <i>Cymbalopora (Tretomphalus) bulloides</i> , d'Orbigny, sp.,	× 60	638
	Figs. 7-10. Lateral aspect; fig. 11, superior aspect; fig. 12, inferior aspect. Fig. 7. Is drawn from a pelagic specimen; the rest from bottom specimens.		
„	13.— <i>Cymbalopora poeyi</i> , d'Orbigny, sp.,	× 50	636
	a, Superior aspect; b, inferior aspect; c, peripheral aspect.		
„	14.— <i>Cymbalopora poeyi</i> , var.,	× 50	637
	a, Superior aspect; b, inferior aspect; c, peripheral aspect; d, peripheral aspect of a somewhat similar, more slightly built specimen.		
„	15-18.— <i>Cymbalopora tabellæformis</i> , n. sp.,	× 40	637
	Fig. 15. Superior aspect; figs. 16, 17, inferior aspect; fig. 18, peripheral aspect.		