

PLATE CV.

PULVINULINA.

		Diam.	Page
Figure	1.— <i>Pulvinulina concentrica</i> , Parker and Jones, . . .	×	35
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		686
,	2.— <i>Pulvinulina umbonata</i> , Reuss,	×	50
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		695
,	3-6.— <i>Pulvinulina elegans</i> , d'Orbigny, sp.,		699
	Fig. 3. Deep-water form (<i>Pulvinulina partschiana</i> , d'Orbigny, sp.); <i>a</i> , superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect,	×	40
	Figs. 4, 5. Typical specimens, from medium depths,	×	35
	Fig. 6. Carinate specimen,	×	35
,	7.— <i>Pulvinulina procera</i> , Brady,	×	35
	<i>a</i> , Superior aspect; <i>b</i> , inferior aspect; <i>c</i> , peripheral aspect.		698
,	8, 9.— <i>Pulvinulina karsteni</i> , Reuss, sp.,	×	50
	Fig. 8. Specimen from Magellans Strait.		
	Fig. 9. Arctic specimen.		
	<i>a,a</i> , Superior aspect; <i>b,b</i> , inferior aspect; <i>c,c</i> , peripheral aspect.		