

(1) Umbo of the carinal latus much projecting beyond the line of the carina.		
a. Upper latus triangular, . . . . .		<i>Scalpellum velutinum</i> , n. sp.
b. Upper latus quadrangular, . . . . .		<i>Scalpellum pedunculatum</i> , n. sp.
(2) Umbo of the carinal latus not much projecting, . . . . .		<i>Scalpellum eximium</i> , n. sp.
2. Roof of the carina slightly convex laterally.		
(1) Carinal latus very high, . . . . .		<i>Scalpellum gigas</i> , n. sp.
(2) Carinal latus not very high.		
a. Upper latus almost triangular, . . . . .		<i>Scalpellum moluccanum</i> , n. sp.
b. Upper latus rather quadrangular.		
(a) Peduncle short, . . . . .		<i>Scalpellum regium</i> (Wyv. Thoms.), n. sp.
(b) Peduncle long, . . . . .		<i>Scalpellum darwinii</i> , n. sp.
(b) Rostrum wanting.		
a. Carina consisting of a roof and distinct sides.		
i. Roof flat, bordered by more or less prominent ridges.		
(a) Infra-median latus large, wine-glass-shaped, . . . . .		<i>Scalpellum distinctum</i> , n. sp.
( $\beta$ ) Infra-median latus middle-sized, oblong-quadrangular.		
(i) Carina almost straight, . . . . .		<i>Scalpellum minutum</i> , n. sp.
(ii) Carina strongly bowed, . . . . .		<i>Scalpellum abyssicola</i> , n. sp.
( $\gamma$ ) Infra-median latus small, triangular, . . . . .		<i>Scalpellum vitreum</i> , n. sp.
( $\delta$ ) Infra-median latus narrow, elongate.		
(i) Scutum almost triangular, . . . . .		<i>Scalpellum planum</i> , n. sp.
(ii) Scutum quadrangular.		
1. Umbo of the carinal latus projecting beyond the carina, . . . . .		<i>Scalpellum australianum</i> , n. sp.
2. Umbo of the carinal latus not projecting beyond the carina, . . . . .		<i>Scalpellum tenue</i> , n. sp.
( $\epsilon$ ) Infra-median latus large, quadrilateral, . . . . .		<i>Scalpellum rutilum</i> , Darwin.
ii. Roof flat, not bordered by distinct ridges.		
(a) Carina very strongly bowed, . . . . .		<i>Scalpellum indicum</i> , n. sp.
( $\beta$ ) Carina not very strongly bowed.		
(i) Infra-median latus small, triangular, . . . . .		<i>Scalpellum tritonis</i> , n. sp.
(ii) Infra-median latus elongate, quadrangular, . . . . .		<i>Scalpellum novæ-zelandiæ</i> , n. sp.
iii. Roof slightly convex laterally.		
(a) Infra-median latus triangular, . . . . .		<i>Scalpellum dubium</i> , n. sp.
( $\beta$ ) Infra-median latus narrow, . . . . .		<i>Scalpellum flavum</i> , n. sp.
( $\beta$ ) No distinct roof can be distinguished on the carina.		
i. Carinal latus as high as the carina, . . . . .		<i>Scalpellum balanoides</i> , n. sp.
ii. Carinal latus of the ordinary height, . . . . .		<i>Scalpellum triangulare</i> , n. sp.

## A. SPECIES WITH IMPERFECTLY CALCIFIED VALVES.

*Scalpellum marginatum*, n. sp. (Pl. VI. figs. 5, 6).

Valves thirteen, imperfectly calcified, covered by a chitinous membrane. Carina simply bowed, with the umbo almost at the apex. Upper latus has the form of a V, the umbo being placed at the angle of the two segments.