

	How obtained.	Range in Depth.	Principal Localities.
Fathoms.			
HOLOPIDÆ, Roemer, . . . .	...	...	...
<i>Holopus</i> , d'Orb., . . . .	...	...	...
<i>H. rangi</i> , d'Orb., . . . .	B. R.	100-120	Caribbean Islands.
HYOCRINIDÆ, Carpenter, . . . .	...	...	...
<i>Hyocrinus</i> , Wyv. Thoms., . . . .	...	...	...
<i>H. bethellianus</i> , Wyv. Thoms., . . . .	C.	1600-1850 2325?	Mid-Atlantic, Station 106 (stem-fragments); Southern Ocean, Station 147; East Pacific, Station 223 (young?).
BOURQUETIOCRINIDÆ, de Loriol, . . . .	...	...	...
<i>Bathycrinus</i> , Wyv. Thoms., . . . .	...	...	...
<i>B. aldrichianus</i> , Wyv. Thoms., . . . .	C.	1375-1600	Southern Ocean, Stations 146, 147.
<i>B. campbellianus</i> , Carp., . . . .	C.	1850	Mid-Atlantic, Station 106.
<i>B. carpenteri</i> , Dan. & Kor., . . . .	N.	1050-1495	North-East Atlantic.
<i>B. gracilis</i> , Wyv. Thoms., . . . .	P. T.	1280-2435	East Atlantic.
<i>Rhizocrinus</i> , Sars, . . . .	...	...	...
<i>R. lofotensis</i> , Sars, . . . .	B. D. J. Q.	80-955 1900?	Lofoten Islands; Farøe Channel; North-East Atlantic; Josephine Bank. Atlantic Coast of U.S. (Northern States); Straits of Florida; Caribbean Islands; South-West Atlantic, Station 122c and Station 323 (?).
<i>R. rawsoni</i> , Pourt., . . . .	B. D. I. P. T.	73-1280	East Atlantic, Station 76; Straits of Florida; Caribbean Islands; Yucatan Bank; off Panama.
PENTACRINIDÆ, d'Orb., . . . .	...	...	...
<i>Pentacrinus</i> , Miller, . . . .	...	...	...
<i>P. alternicirrus</i> , Carp., . . . .	C.	500-600 375?	Pacific—near the Kermadecs, Station 171; and near the Meangis Islands, Station 214; off the Panglao and Siquijor Islands, Station 210 (?).
<i>P. asterius</i> , Linn., . . . .	B. I. Y.	80-320	Caribbean Islands.
<i>P. blakei</i> , Carp., . . . .	A.	120-200	Caribbean Islands.
<i>P. decorus</i> , Wyv. Thoms., . . . .	B. I. X.	84-667	Caribbean Islands; Straits of Florida.