

	How obtained.	Range in Depth.	Principal Localities.
<i>P. maclearanus</i> , Wyv. Thoms.,	C.	Fathoms. 350	South-West Atlantic, Station 122.
<i>P. mollis</i> , Carp.,	C.	565	North-West Pacific.
<i>P. mülleri</i> , Oerst.,	B. I. R. Y.	84-531	Caribbean Islands; Straits of Florida.
<i>P. naresianus</i> , Carp.,	C.	500-1350 375?	Pacific—near the Kermadecs, Stations 170, 170A, 171; near Fiji, Station 175; and near the Meangis Islands, Station 214; off the Panglao and Siquijor Islands, Station 210 (?).
<i>P. wyville-thomsoni</i> , Jeffr., . .	P. T.	740-1095	East Atlantic.
<i>Metacrinus</i> , Carp.,
<i>M. angulatus</i> , Carp.,	C.	140	Ki Islands, Station 192.
<i>M. cingulatus</i> , Carp.,	C.	140	Ki Islands, Station 192.
<i>M. costatus</i> , Carp.,	C.	500	Pacific, near the Meangis Islands, Station 294.
<i>M. interruptus</i> , Carp.,	C.	95	Philippine Islands, Station 209.
<i>M. moseleyi</i> , Carp.,	C.	500	Pacific, near the Meangis Islands, Station 214.
<i>M. murrayi</i> , Carp.,	C.	?	Western Pacific, or East Indian Archipelago.
<i>M. nobilis</i> , Carp.,	C.	140	Ki Islands, Station 192.
<i>M. nodosus</i> , Carp.,	C.	630	Pacific, near the Kermadecs, Station 170A.
<i>M. rotundus</i> , Carp.,	F.	70	Japan.
<i>M. stewarti</i> , Carp.,	E.	?	Singapore.
<i>M. superbis</i> , Carp.,	E.	?	Singapore.
<i>M. tuberosus</i> , Carp.,	C.	140	Ki Islands, Station 192.
<i>M. varians</i> , Carp.,	C.	500	Pacific, near the Meangis Islands, Station 214.
<i>M. wyvillii</i> , Carp.,	C.	500-630	Pacific—near the Kermadecs, Station 170A; near the Meangis Islands, Station 214.
<i>Metacrinus</i> , sp.,	V.	65	Japan.