

STATION 142. South of the Cape; lat.  $35^{\circ} 4'$  S., long.  $18^{\circ} 37'$  E.; 150 fathoms; green sand (dredged).

<i>Euphione elisabethae</i> , n. sp.		<i>Dasychone capensis</i> , n. sp.
<i>Protula capensis</i> , n. sp.		

STATION 320. Off South America; lat.  $37^{\circ} 17'$  S., long.  $53^{\circ} 52'$  W.; 600 fathoms; green sand (trawled).

<i>Eulagisca corrientis</i> , n. sp., C.		<i>Pista mirabilis</i> , n. sp.
<i>Lænilla fusca</i> , n. sp.		<i>corrientis</i> , n. sp.
<i>Syllis robertianæ</i> , n. sp.		<i>Sabella assimilis</i> , n. sp.
<i>Hyalinæcia tubicola</i> , O. F. Müller, var., A.		

STATION 322. Off South America; lat.  $35^{\circ} 20'$  S., long.  $53^{\circ} 42'$  W.; 21 fathoms; sand and shells (trawled).

*Terebella seticornis*, n. sp.

STATION 325. Off the coast of Buenos Ayres; lat.  $36^{\circ} 44'$  S., long.  $46^{\circ} 16'$  W.; 2650 fathoms; blue mud (trawled).

<i>Myriochela heeri</i> , Malmgren, var.		<i>Amphicteis sarsi</i> , n. sp.
		<i>Eupista grubei</i> , n. sp.

STATION 333. West of Tristan da Cunha; lat.  $35^{\circ} 36'$  S., long.  $21^{\circ} 12'$  W.; 2025 fathoms; Globigerina ooze (trawled).

*Buskiella abyssorum*, n. sp., A.

STATION 335. North of Tristan da Cunha; lat.  $32^{\circ} 24'$  S., long.  $13^{\circ} 5'$  W.; 1425 fathoms; Pteropod ooze (dredged).

*Nothria abranchiata*, n. sp., C.

STATION 344. Off Ascension; lat.  $7^{\circ} 54'$  S., long.  $14^{\circ} 28'$  W.; 420 fathoms; volcanic sand (dredged).

*Eunice prognatha*, n. sp.