

STATION 209. Off Zebu ; lat. $10^{\circ} 14'$ N., long. $123^{\circ} 54'$ E.; 95 fathoms; blue mud (dredged).

<i>Lagisca hexactinellidæ</i> , n. sp.	<i>Syllis ramosa</i> , M'Intosh, D.
<i>Polynoë (Langerhansia) euplectellæ</i> , n. sp.	<i>Cirratulus zebuensis</i> , n. sp.
	<i>Artacama zebuensis</i> , n. sp.
	<i>Sabellæ zebuensis</i> , n. sp.

STATION 214. South of Mindanao ; lat. $4^{\circ} 33'$ N., long. $127^{\circ} 6'$ E.; 500 fathoms; blue mud (trawled).

<i>Iphionella cimex</i> , De Quatrefages.	<i>Genetyllis oculata</i> , n. sp.
---	------------------------------------

STATION 232. South of Yedo, Japan ; lat. $35^{\circ} 11'$ N., long. $139^{\circ} 28'$ E.; 345 fathoms; green mud (dredged).

<i>Lætmonice japonica</i> , n. sp.	<i>Nothria macrobranchiata</i> , n. sp.
<i>Eunoa yedoensis</i> , n. sp.	<i>Maldane sarsi</i> , Malmgren.
<i>Leanira areolata</i> , n. sp.	<i>Nicomache japonica</i> , n. sp.
<i>Lumbriconereis bifurcata</i> , n. sp.	<i>Praxilla lankesteri</i> , n. sp.
<i>japonica</i> , Marenzeller.	<i>Amphicteis japonica</i> , n. sp.

Off Japan; lat. $33^{\circ} 56'$ N., long. $130^{\circ} 27'$ E.; 30 fathoms.

<i>Ammotrypane gracile</i> , n. sp.

STATION 233A. Near Kobé, Japan ; lat. $34^{\circ} 38'$ N., long. $135^{\circ} 1'$ E.; 50 fathoms; sand (dredged).

<i>Palmyra aurifera</i> , Savigny (?).	<i>Eunice kobiensis</i> , n. sp.
<i>Lepidonotus gymnonotus</i> , Marenzeller.	<i>Phyllochætopterus claparedii</i> , n. sp.
<i>Polynoë ocellata</i> , n. sp.	<i>Pista fasciata</i> , (Grube).
<i>Leanira japanensis</i> , n. sp.	<i>Dasychone picta</i> , n. sp.
<i>Nereis (Platynereis) kobiensis</i> , n. sp.	<i>japonica</i> , n. sp.
	<i>Hydroïdes multispinosa</i> , Marenzeller.

STATION 233B. South of Japan ; lat. $34^{\circ} 18'$ N., long. $133^{\circ} 35'$ E.; 15 fathoms; blue mud (trawled).

<i>Chloeia flava</i> , Pallas.	<i>Dasybranchus</i> sp.
--------------------------------	-------------------------