Cartilage.—Posteriorly inclined, not in a pit or process, but attached to the valves. Surface.—Concentrically striate.

Neæra brazieri, n. sp.

SECTION G.-Subgenus Rhinomya, A. Adams.

Teeth.—One lateral tooth on each side in the right valve, none in the left. Cartilage.—Internal, attached to the valve under the beaks. Surface.—Concentrically striate.

Neæra rugata, A. Adams.* philippinensis, A. Adams (nec Hinds). Neæra notabilis, Jeffreys.* lamellifera, Dall=semistrigosa, Jeffreys.

SECTION H.

Teeth.—One small conical tooth in front of the umbo in the right valve, none in left; no laterals in either.

Cartilage.—Narrow, under apex, parallel with margin. Surface.—Concentrically striate.

Neæra philippinensis, Hinds.

SECTION I.

Teeth.—A single denticle in both valves in front of the beaks; no laterals. Cartilage.—Elongate, narrow, subparallel with the dorsal edge. Surface.—Concentrically plicate.

Neæra abbreviata, Forbes.

SECTION J.

Teeth.—One small thickish tooth on each side in the right valve, and a similar one in the left, in front only.

Cartilage.—Very small, central. Surface.—Finely ridged.

Neæra adunca, Gould.