

INDEX.

Note.—Names of Genera and Species obtained during the Expedition are printed in roman type,
Synonyms and other Species incidentally referred to in *italics*.

	Plate	Figure	Page		Plate	Figure	Page
<i>ABRA</i> ,	{ 3, 4, 6, 89, 90 106	<i>ANTIGONA lamellaris</i> , Schumacher,	121
<i>longicallis</i> , Sars,	88	<i>ARCA</i> ,	4, 6,	258, 323
<i>ALICIA angustata</i> , Angas,	68	(Acar) <i>congenita</i> , <i>n. sp.</i> , XVII.	6-6a		20, 264
<i>elegantula</i> , Angas,	68	(Acar) <i>domingensis</i> , <i>Lamarck</i> ,	8, 10,	265
<i>AMUSSIUM</i> ,	4, 297, 308	<i>angicostata</i> , <i>Reeve</i> ,	265
<i>caducum</i> , <i>n. sp.</i> ,	XXIII.	1-1c	20, 309, 312	<i>aurita</i> , <i>Brocchi</i> ,	257
<i>cancellatum</i> , <i>n. sp.</i> ,	XXIII.	8-8c	7, 8, 9, 315	(Barbatia) <i>corpulenta</i> , <i>n. sp.</i> , XVII.	5-5b	{ 5, 16, 19, 20 21, 23, 263	
<i>dalli</i> , <i>n. sp.</i> ,	XXII.	7-7c	8, 308, 317	(Barbatia) <i>fusciata</i> , <i>Reeve</i> ,	15, 260
<i>jeffreysii</i> , <i>n. sp.</i> ,	XXII.	2-2c	21, 310	(Barbatia) <i>fusca</i> , <i>Bruguière</i> ,	16, 260
<i>lucidum</i> , <i>Jeffreys</i> ,	XXIV.	2-2c	{ 9, 10, 11, 315 316, 317	(Barbatia) <i>imitata</i> , <i>n. sp.</i> ,	321
<i>meridionale</i> , <i>n. sp.</i> ,	XXIV.	1-1a	{ 13, 23, 316 317	(Barbatia) <i>lima</i> , <i>Reeve</i> ,	17, 21, 260
<i>obliquum</i> , <i>n. sp.</i> ,	XXIII.	6-6a	8, 313	(Barbatia) <i>pteroessa</i> , <i>n. sp.</i> , XVII.	4-4b	{ 4, 8, 9, 22 262, 326	
<i>pleuronectes</i> (<i>Linneé</i>),	19, 20, 308	(Barbatia) <i>radula</i> , <i>A. Adams</i> ,	14, 260
<i>propinquum</i> , <i>n. sp.</i> ,	XXIII.	7-7b	10, 314	(Barbatia) <i>sculptilis</i> , <i>Reeve</i> ,	20, 262
<i>scitulum</i> , <i>n. sp.</i> ,	XXIII.	4-4b	19, 312	<i>chalcanthum</i> , <i>Reeve</i> ,	266, 267
<i>squamigerum</i> , <i>n. sp.</i> ,	XXIII.	5-5a	8, 312	<i>clathrata</i> , <i>Reeve</i> ,	266
<i>torresi</i> , <i>n. sp.</i> ,	XXIII.	3-3b	17, 311, 312	<i>cumingii</i> , <i>Dunker</i> ,	259
<i>watsoni</i> , <i>n. sp.</i> ,	XXII.	8-8c	21, 309	<i>cuneata</i> , <i>Reeve</i> ,	259
<i>AMPHIDESMA amabilis</i> ,	83	<i>domingensis</i> , <i>Lamarck</i> ,	265
<i>castanea</i> ,	79	<i>fusciata</i> , <i>Reeve</i> ,	260
<i>obliqua</i> ,	84	<i>frielei</i> ,	267, 268,	321
<i>variegata</i> , <i>Lamarck</i> ,	84	<i>fusca</i> , <i>Bruguière</i> ,	260
<i>ANATINA</i> ,	76	<i>gubernaculum</i> , <i>Reeve</i> ,	266
<i>amphora</i> <i>Reeve</i> ,	76	<i>imbricata</i> , <i>Bruguière</i> ,	4, 11, 18,	259
<i>brevis</i> ,	64	<i>kraussi</i> , <i>Philippi</i> ,	259
<i>crassa</i> , <i>Stutchbury</i> ,	65	<i>lima</i> , <i>Reeve</i> ,	260
<i>cumingii</i> , <i>Valenciennes</i> ,	76	<i>linter</i> , <i>Jonas</i> ,	259
<i>elliptica</i> , <i>King & Broderip</i> ,	18, 76	<i>luzonica</i> , <i>Reeve</i> ,	266
<i>flexuosa</i> , <i>Reeve</i> ,	76	(Macrodon) <i>dalli</i> , <i>n. sp.</i> , XVII.	10-10b		22, 269
<i>pauculiformis</i> , <i>Stutchbury</i> ,	64	<i>navicularis</i> , <i>Bruguière</i> ,	17, 259
<i>prismatica</i> , <i>Sowerby</i> ,	76	<i>noë</i> , <i>Linneé</i> ,	8, 258
<i>siphonata</i> , <i>Reeve</i> ,	21, 76	<i>parva</i> , <i>Sowerby</i> ,	261
<i>ANATINIDÆ</i> ,	62	<i>pectinata</i> , <i>Gmelin</i> ,	250
<i>ANATININÆ</i> ,	76	<i>poctunculoides</i> , <i>Scaocchi</i> ,	267, 268,	321
<i>ANOMIA</i> ,	318	<i>radiata</i> , <i>Reeve</i> ,	266
<i>ANOMIIDÆ</i> ,	318	<i>radula</i> , <i>A. Adams</i> ,	260
<i>ANOMIA ephippium</i> (<i>Linneé</i>), var.,	11, 12, 318	(Scapharca) <i>angicostata</i> , } <i>Reeve</i> , }	21, 265
<i>laqueata</i> , <i>Reeve</i> , var. (?),	22, 318	(Scapharca) <i>clathrata</i> , <i>Reeve</i> ,	18, 20, 266