

PLATE VII.

*Colella pedunculata*, Quoy and Gaimard.

- Fig. 1. Section through the test, mantle, and endostyle of an Ascidiozooid ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 2. The anterior end of an Ascidiozooid, seen from the branchial sac ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 3. One of the dorsal languets, seen from the side ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 4. Part of one of the tentacles ; more highly magnified (S.,  $\frac{1}{6}$  inch).
- Fig. 5. The nerve ganglion ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 6. The anterior dorsal region of an Ascidiozooid, showing the dorsal tubercle, tentacles, &c. ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 7. Part of an Ascidiozooid from the right hand side, showing the reproductive organs and incubatory pouch ; magnified (S., 1 inch).
- Fig. 8. Part of the intestine and the ovary ; magnified (S., 1 inch).
- Fig. 9. Part of the reproductive organs ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 10. Young ova ; highly magnified (S.,  $\frac{1}{4}$  inch).
- Fig. 11. Mature ovum ; highly magnified (S.,  $\frac{1}{6}$  inch).
- Fig. 12. Young incubatory pouch with two embryos ; magnified (S., 1 inch).
- Fig. 13. Older incubatory pouch with a number of embryos and larvæ ; magnified (S., 1 inch).
- Fig. 14. Fully developed incubatory pouch, with contained embryos and larvæ ; magnified (S., 1 inch).