

	PAGE		PAGE
<i>punctata</i> , Selenka (Orcula), . . .	150	<i>rigida</i> , Semper (Thyone), . . .	138
<i>punctulata</i> , Quoy and Gaimard (Fistularia), . . .	23	<i>rinkii</i> , Steenstrup (Myriotrochus), . . .	37
<i>punctulata</i> , Brandt (Synapta), . . .	23	<i>robsoni</i> , Hutton (Holothuria), . . .	239
<i>punctulatum</i> , Haacke (Labidodemas), . . .	225	<i>roretzii</i> , von Marenzeller (Haplodactyla), . . .	49
<i>purpurea</i> , J. Bell (Chirodota) . . .	33	<i>roretzii</i> , von Marenzeller (Ankyroderma), . . .	49
<i>purpurea</i> , Jæger (Chirodota), . . .	35	<i>rosacea</i> , Semper (Thyone), . . .	137
<i>purpurea</i> , Lesson (Holothuria, Fistu- laria), . . .	15, 35	<i>roseola</i> , Verrill (Leptosynapta), . . .	25
<i>purpurea</i> , Studer (Sigmodota), . . .	33	<i>rotifera</i> , Stimpson (Chirodota), . . .	35
<i>pusilla</i> , Sars (Holothuria), . . .	115	<i>rotifera</i> , Pourtalès (Synapta), . . .	35
<i>pygmæa</i> , Müller (Chirodota) . . .	35	<i>rubeola</i> , Selenka (Chirodota), . . .	37
<i>pygmæa</i> (= <i>erinaceus</i> , var.) Semper (Holo- thuria), . . .	206	<i>rubeola</i> , Quoy and Gaimard (Fistularia), . . .	37
<i>pygmæus</i> , n. sp. (Colochirus), . . .	83	<i>ruber</i> , Keferstein (Rhabdomolgus), . . .	18
<i>pygmæus</i> , Semper (Ocnus), . . .	117	<i>rufescens</i> , Brandt (Chirodota), . . .	36
<i>pygmæus</i> (= <i>godeffroyi</i> , var.) Semper (Stich- opus), . . .	194	<i>rugosa</i> , Ludwig (Holothuria), . . .	226
<i>pyxis</i> , Selenka (Holothuria), . . .	215	<i>rugosum</i> , n. sp. (Thyonidium), . . .	95
<i>quadrangularis</i> , Lesson (Colochirus), . . .	81, 120	<i>rustica</i> , Pennant (Ascidia), . . .	127
<i>quadrangularis</i> , Troschel (Colochirus), . . .	123	<i>sacella</i> , Selenka (Stolus), . . .	138
<i>quadrangularis</i> , Lesson (Holothuria), . . .	120	<i>sacella</i> , Semper (Thyone), . . .	138
<i>quinquesemita</i> , Selenka (Cucumaria), . . .	101	<i>salmi</i> , Ludwig (Cucumaria), . . .	113
<i>radackensis</i> , Chamisso and Eysenhardt (Holothuria), . . .	213	<i>samoana</i> , Ludwig (Holothuria), . . .	228
<i>radiosa</i> , Reynaud, Lesson (Holothuria), . . .	22	<i>sanctori</i> , Delle Chiaje (Holothuria), . . .	224
<i>radiosa</i> , Brandt (Reynaudia), . . .	22	<i>sanctori</i> (= <i>tubulosa</i> , var.), Lamarck (Holo- thuria), . . .	224
<i>radiosa</i> , Jæger (Synapta), . . .	22	<i>saruiensis</i> , Ray Lankester (Synapta), . . .	24
<i>ransonnetii</i> , von Marenzeller (Caudina), . . .	54	<i>saxicola</i> , Brady and Robertson (Cucumaria), . . .	116
<i>raphanus</i> , Düben and Koren (Thyone), . . .	135	<i>scaber</i> , Lütken (Eupyrgus), . . .	49
<i>rappardii</i> , Held (Synapta), . . .	23	<i>scabra</i> , Jæger (Holothuria), . . .	234
<i>rathbunii</i> , Lampert (Holothuria), . . .	268	<i>scabra</i> , Verrill (Thyone) . . .	135
<i>raynaldii</i> , Held (Synapta), . . .	21	<i>scabrum</i> , Sars (Thyonidium), . . .	209
<i>reciprocans</i> , Forskaal (Fistularia), . . .	23	<i>schmeltzii</i> , Ludwig (Thyonidium), . . .	148
<i>reciprocans</i> , Jæger (Synapta), . . .	23	<i>Sclerodactyla</i> , Ayres, . . .	133
<i>recta</i> , Semper (Synapta), . . .	24	<i>scotica</i> , Dalyell (Holothuria), . . .	134
<i>recurvata</i> , n. sp. (Thyone), . . .	94	<i>selenkæ</i> , Barrois (Stichopus), . . .	197
<i>refuscens</i> , Brandt (Chirodota), . . .	36	<i>selenkianum</i> , Semper (Labidodemas), . . .	188
<i>regalis</i> , Cuvier (Holothuria), . . .	194	<i>semperi</i> , Bell (Cucumaria), . . .	104
<i>regalis</i> , Verrill (Psolus), . . .	126	<i>Semperia</i> , Lampert, . . .	266
<i>regalis</i> , Selenka (Stichopus), . . .	194	<i>semperianum</i> , Selenka (Labidodemas), . . .	188
<i>Reynaudia</i> , Brandt, . . .	22	<i>serpentina</i> , J. Müller (Synapta), . . .	21
<i>remollescens</i> , Lampert (Holothuria), . . .	263	<i>serrata</i> , n. sp. (Cucumaria), . . .	73
<i>reticulata</i> , Semper (Synapta), . . .	27	<i>Sigmodota</i> , Studer, . . .	33
<i>Rhabdomolgus</i> , Keferstein, . . .	18	<i>signata</i> , Ludwig (Holothuria), . . .	222
<i>Rhopalodina</i> , Gray, . . .	154	<i>simile</i> , n. sp. (Ankyroderma), . . .	40
<b>RHOPALODINIDÆ</b> , Ludwig, . . .	153	<i>similis</i> , Semper (Synapta), . . .	30
<i>rigida</i> , Semper (Chirodota), . . .	35	<i>similis</i> , Semper (Holothuria), . . .	204
<i>rigida</i> , Semper (Holothuria), . . .	231	<i>sinensis</i> (= <i>molpadioides</i> , var.), Semper (Haplodactyla), . . .	50
<i>rigida</i> , Selenka (Stichopus), . . .	231	<i>sitchaense</i> , Brandt (Liosoma), . . .	36
		<i>sitchaensis</i> , Brandt (Cuvieria), . . .	128
		<i>sitchaensis</i> , Semper (Psolus), . . .	128