

*Shell*.—Small, broadish, conical, pointed, thin, brownish grey, with white and brown spots, whorls carinated, semi-imbricated, corrugated longitudinally, not reticulated, tubercled, variced. *Sculpture*: Longitudinals—there are on the penultimate whorl 13 depressed rounded, slightly oblique ribs or corrugations, parted by furrows, shallow, rounded, and narrower than the ribs. These ribs diminish in number upwards on the spire, down which they run from whorl to whorl, with a slight oblique twist from left to right. On the last whorl one of these is strengthened into a feeble varix, but the rest become increasingly inconspicuous, and at last scarcely recognisable; on the base they are still traceable as faint corrugations. Spirals—each whorl, at about one-fourth of its height from the suture, projects in an angular carination, which carries a small, but distinct rounded thread, rising into transverse tubercles where it crosses the longitudinal corrugations. Above this carinal thread there are four very small flat spiral threads, equal, and equally parted by three small furrows, in each of which lies a minute spiral thread. The furrow which separates the lowest of these four spirals from the carinal thread is plain, having no minute spiral in it. Below the carinal angulation the whorls are constricted. Within this constriction there are on each whorl two small alternating furrows and threads, then a comparatively broad and deep furrow, below which a small spiral thread lies immediately at the suture, but above it. It is this supra-sutural thread which forms the edge of the base, and is there nearly as strong as the carinal thread. Its inner side is defined by a strongish furrow, within which the whole base to the point of the pillar is covered with small alternating threads and furrows, in number about 9, of which the first and the fifth thread are a little stronger than the rest. Besides these, the whole surface is microscopically covered with sharpish spirals and slight lines of growth. These last are very distinct toward the point of the pillar. *Colour* brownish grey, with porcelainous white spots where the spirals cross the corrugations, and with a good deal of suffused ruddy brown, especially on the base and about the suture; the edge of the pillar is deeply tinged with this colour. *Spire* pointed, conical, with straight profile lines, angulated by the pagoda-like projections of the whorls at the carina, and their constrictions below this into the suture. *Apex* small and rounded. *Whorls* 11, of very gradual and regular increase, straight on the side, contracted upwards into the suture, and overhung by the projection of the preceding whorl above. The base is conical and very slightly concave. *Suture* invisible, though its situation is strongly defined by the supra-sutural furrows. *Mouth* rather large, oval, bluntly pointed at the upper outer corner, and with a small open canal beyond the point of the pillar. *Outer lip* thin, corrugated, slightly expanded above, extremely patulous and projecting on the whole base, slightly pinched in at the side of the canal, advancing markedly beyond the point of the pillar, with a patulous and very slightly reverted sharp edge round the canal. *Pillar* straight, prominent, rounded, not short, but not projecting so far as the outer lip; its edge is finely rounded, but not sharp; its point is cut off quite straight, transversely, and is