

PLATE XLVII.

	PAGE
Fig. 1. <i>Actæon turritus</i> , n. sp.	628
a. The natural size.	
b. The shell, enlarged.	
c. The sculpture, magnified 35 diameters.	
Fig. 2. <i>Actæon austrinus</i> , n. sp.	628
a. The natural size.	
b. The shell, enlarged.	
c. The apex, magnified 35 diameters.	
d. The sculpture, magnified 35 diameters.	
Fig. 3. <i>Actæon (Buccinulus) affinis</i> , A. Adams, enlarged	630
Fig. 4. <i>Actæon amabilis</i> , n. sp.	629
a. The natural size.	
b. The shell, enlarged.	
c. The apex, magnified 40 diameters.	
Fig. 5. <i>Actæon (Buccinulus) cinereus</i> , n. sp.	631
a. The natural size.	
b. The shell, enlarged.	
c. The apex, magnified 40 diameters.	
Fig. 6. <i>Actæon (Actæonina) edentulus</i> , n. sp.	632
a. The natural size.	
b. The shell, enlarged.	
c. The sculpture, magnified 10 diameters.	
Fig. 7. <i>Actæon (Actæonina) chariis</i> , n. sp.	633
a. The natural size.	
b. The shell, enlarged.	
c. The sculpture, magnified 50 diameters.	
Fig. 8. <i>Ringicula doliaris</i> , Gould	634
a. The natural size.	
b. The shell, enlarged.	
c. The apex, magnified 40 diameters.	
Fig. 9. <i>Ringicula pusilla</i> , n. sp.	635
a. The natural size.	
b. The shell, enlarged.	
Fig. 10. <i>Ringicula assularum</i> , n. sp.	635
a. The natural size.	
b. The shell, enlarged.	
Fig. 11. <i>Ringicula peracuta</i> , n. sp.	636
a. The natural size.	
b. The shell, enlarged.	