

PLATE XI.

	Diam.	Page
Fig. 1. <i>Lophozozymus (Lophoxanthus) bellus</i> , var. <i>leucomanus</i> , Lockington, adult male,	× nearly 3	115
Fig. 1a. Inferior view of the cervical region, showing the antennæ and the exterior maxillipedes,	× 4	
Fig. 1b. Chelipede,	× 3½	
Fig. 2. <i>Medæus haswelli</i> , n. sp.; carapace of an adult male,	× about 5	117
Fig. 2a. Inferior view of the cervical region, showing part of the orbits, the antennæ, and the exterior maxillipedes,	× about 5	
Fig. 2b. Chelipede,	× about 4	
Fig. 2c. Post-abdomen of the male.		
Fig. 3. <i>Actæa hystrix</i> , n. sp., female,	× 4½	121
Fig. 3a. Inferior view of the cervical region, showing part of the orbits, the antennæ, and exterior maxillipedes,	× about 6	
Fig. 3b. Chelipede,	× 5	
Fig. 4. <i>Xantho bidentatus</i> , A. Milne Edwards, adult male,	× 3	126
Fig. 4a. Inferior view of the cervical region, showing part of the orbits, the antennæ, and the exterior maxillipedes,	× 5	
Fig. 4b. Larger chelipede,	× 3	