

PLATE XVI.

		Diam.	Page
Fig. 1. <i>Thalamita intermedia</i> , n. sp., carapace of adult male,	×	2	196
Fig. 1a. Inferior view of the cervical region, showing the inferior orbital margin, antennæ, and exterior maxillipedes,	×	$2\frac{1}{2}$	
Fig. 1b. Chelipede,	×	2	
Fig. 1c. One of the fifth (natatory) legs, showing the spinuliferous penultimate joint,	×	$2\frac{1}{2}$	
Fig. 1d. Post-abdomen of the male,	×		
Fig. 2. <i>Thalamita sexlobata</i> , n. sp., adult female,	×	3	196
Fig. 2a. Inferior view of the cervical region, showing the orbits, antennæ, and exterior maxillipedes,	×	4	
Fig. 2b. Chelipede,	×	4	
Fig. 2c. One of the fifth (natatory) legs, showing the unarmed inferior margin of the penultimate joint,	×	4	
Fig. 3. <i>Geryon</i> (?) <i>incertus</i> , n. sp., carapace,	×	about 7	224
Fig. 3a. Inferior view of the cervical region, showing the position of the antennæ with regard to the orbits and the exterior maxillipedes,	×	about 9	
Figs. 3b, 3c. Detached ambulatory legs, probably belonging to the same species,	×	6	