

Sydney.

Pinnotheres villosulus, Guérin-Ménéville.

Port Jackson, shore, 3 to 15 fathoms.

Micippa spinosa, Stimpson.
Pilumnus vestitus, Haswell.
Pachygrapsus transversus, Gibbes.
Helice crassa, Dana.
Matuta lævidactyla, Miers.
Leucosia australiensis, n. sp.

Ebalia (Phlyxia) crassipes, Bell.
Ebalia (Phlyxia) undecimspinosa
 (Kinahan), var. *orbicularis*,
 Haswell.
Ebalia (Phlyxia) quadridentata
 (Gray), var. *spinifera*, nov.

Port Jackson, 30 to 35 fathoms.

Calappa lophos (Herbst).
Ebalia tuberculosa (A. Milne
 Edwards).

Ebalia (Phlyxia) crassipes, Bell.

STATION 167.—New Zealand, 150 fathoms; June 24, 1874; lat. 39° 32' 0" S., long. 171° 48' 0" E.; bottom, blue mud.

Ebalia lævis, Bell.

Ebalia tuberculosa (A. Milne
 Edwards).

STATION 167A.—New Zealand, Queen Charlotte Sound, near Long Island, 10 fathoms; June 27, 1874; lat. 41° 4' 0" S., long. 174° 19' 0" W.; bottom, mud. Dredged.

Hemiplax hirtipes (Heller).
Ommatocarcinus macgillivrayi,
 White.

Ebalia lævis (Bell).

STATION 172.—Tongatabu, off Nukalofa, 18 fathoms; July 22, 1874; lat. 20° 58' 0" S., long. 175° 9' 0" W.; bottom, coral mud. Dredged.

Menæthius monoceros, Latreille,
 var. *angusta*, Dana.
Lambrus (Parthenolambrus) calap-
poides, Adams and White.
Trapezia cymodoce (Herbst).
Pilumnus longicornis, Hilgendorf,
 var.

Xiphonectes longispinosus, Dana.
Thalamonyx danæ, var. *gracilipes*,
 nov.
Thalamita sima, Milne Edwards,
 var. *granulata*, nov.
Thalamita sexlobata, n. sp.
Thalamita stimpsoni, A. Milne
 Edwards.