

Admiralty Islands, 16 to 25 fathoms.

Neptunus (Achelous) granulatus (Milne Edwards).

Admiralty Islands, Wild Island (beach).

Sesarma (Holometopus) aubryi, A. Milne Edwards.

STATION 232.—Japan, off Inosima, 345 fathoms; May 12, 1875; lat. $35^{\circ} 11' 0''$ N., long. $139^{\circ} 28' 0''$ E.; bottom, green mud; bottom temperature, $41^{\circ}\cdot 1$. Trawled and dredged.

Macrocheira kämpferi, de Haan.

Japan, off Yokoska, 10 fathoms.

Pugettia incisa (de Haan).

Pilumnoplax vestita (de Haan),
var. *sexdentata*, Haswell.

Japan, Kobé (some 8 to 10 fathoms).

Thelphusa (Geothelphusa) dehaanii,
White.

Macrophthalmus serratus, Adams
and White.

Arcania septemspinosa (Fabricius).

STATION 233A.—Japan, near Kobé, 50 fathoms; May 19, 1875; lat. $34^{\circ} 38' 0''$ N., long. $135^{\circ} 1' 0''$ E.; bottom, sand. Dredged.

Achæus japonicus, de Haan.

Neptunus (Amphitrite) hastatoides,
(Fabricius).

Scyra compressipes, Stimpson.

Goniosoma variegatum (Fabricius)
var. *bimaculatum*, nov.

Lophozozymus (Lophoxanthus) bellus, Stimpson, var. *leucomanus*, Lockington.

Platygrapsus depressus, de Haan.

Sphærozius nitidus, Stimpson.

Leucosia craniolaris (Linné).

Pilumnus minutus, var. *hirsutus*,
Stimpson.

Dorippe japonica, v. Siebold (8 to 50
fathoms).

Pilumnus globosus, Dana.

Japan, Oosima (pools).

Brachynotus (Heterograpsus) penicillatus (de Haan).