

100 to 200 fathoms.

Leptopodia sagittaria (Fabricius) (?).
Metoporaphis forficulatus, A. Milne
 Edwards.
Podochela riisei, Stimpson.
Platymaia wyville-thomsoni, n. gen.
 and sp.
Cyrtomaia murrayi, n. gen. and sp.
Eurypodius longirostris, n. sp.
Lispognathus thomsoni, Norman.
Ergasticus naresii, n. sp.
Oxypleurodon stimpsoni, n. gen. and sp.
Pugettia velutina, n. sp.
Herbstia (*Herbstiella*) *depressa*,
 Stimpson (?).
Hyastenus elegans, n. sp.
Naxia hystrix, n. sp.
Mithrax hispidus (Herbst), var. *pleura-*
canthus, Stimpson (?).

Medæus haswelli, n. sp.
Pilumnus floridanus, Stimpson (?).
Pilumnus normani, n. sp.
Lupocyclus (*Parathranites*) *orientalis*,
 n. subgen. and sp.
Platyonychus iridescens, n. sp.
Pilumnoplax heterochir, Studer.
Bathyplox typhlus, A. Milne Edwards,
 var. *oculiferus*, nov (?).
Litocheira kingsleyi, n. sp.
Halicarcinus planatus (Fabricius).
Paracyclois milne-edwardsii, n. gen.
 and sp.
Mursia cristimana, Desmarest.
Ebalia lævis, Bell.
Ebalia tuberculosa (A. Milne Edwards).
Merocryptus lambriformis, A. Milne
 Edwards.

200 to 500 fathoms.

Leptopodia sagittaria, Fabricius (?).
Metoporaphis forficulatus, A. Milne
 Edwards (?).
Podochela riisei, Stimpson.
Cyrtomaia suhmii, n. sp.
Anamathia pulchra, n. sp.
Lispognathus thomsoni (Norman).
Echinoplax moseleyi, n. gen. and sp.
Macrocheira kämpferi, de Haan.
Oxypleurodon stimpsoni, n. gen. and sp.
Herbstia (*Herbstiella*) *depressa*,
 Stimpson (?).
Libinia smithii, n. sp.

Mithrax hispidus (Herbst), var. *pleura-*
canthus, Stimpson (?).
Heterocrypta maltzani, Miers.
Pilumnus floridanus, Stimpson (?).
Neptunus (*Hellenus*) *spinicarpus*
 (Stimpson).
Geryon (?) *incertus*, n. sp.
Pilumnoplax abyssicola, n. sp.
Bathyplox typhlus, A. Milne Edwards,
 var. *oculiferus*, nov. (?).
Mursia curtispina, n. sp.
Randallia granulata, n. sp.
Ethusa orientalis, n. sp.