

	LOCALITIES.	RANGE IN DEPTH : FATHOMS.	NATURE OF THE SEA-BOTTOM.	
CRYPTOZONIA.				
<i>SOLASTERIDÆ.</i>				
<i>SOLASTERIDÆ incertæ sedis :</i>				
<i>Ctenaster</i> , Perrier.				
<i>C. spectabilis</i> , Perrier . . .	N. W. of Havana.	1920	(1)
<i>Radiaster</i> , Perrier.				
<i>R. elegans</i> , Perrier . . .	Off Dominica.	982	Fine brown mud.	(2)
Family <i>PTERASTERIDÆ</i> , Perrier.				
Subfamily <i>PTERASTERINÆ</i> , Sladen.				
<i>Pteraster</i> , Müller and Troschel.				
* <i>P. affinis</i> , Smith . . .	Off Kerguelen Island.	28	Volcanic mud.	(3)
<i>P. aporus</i> , Ludwig . . .	Bering Sea.	(4)
<i>P. caribæus</i> , Perrier . . .	Casco Bay; Sand Key; Nevis; Frederikstadt; St. Lucia.	151-451	Soft grey mud.	(5)
<i>P. danæ</i> , Verrill . . .	E. coast of South America.	30 (?)	(6)
* <i>P. militaris</i> (O. F. Müller), Müller and Troschel . . .	Off the Norwegian, British, and North American coasts; off Spitzbergen and Nova Zembla; and in the Kara Sea.	10-530	Gravel, stones, sandy clay, or shelly ground.	(7)
<i>P. militaris</i> , var. <i>prolata</i> , Sladen	In the Faerøe Channel.	608	(8)
<i>P. pulvillus</i> , Sars . . .	Off the Norwegian and North American coasts; Nova Zembla; Murman coast.	50-2021	(9)
* <i>P. rugatus</i> , Sladen . . .	Between Kerguelen and Heard Islands.	150	Coarse gravel.	(10)
* <i>P. semireticulatus</i> , Sladen . . .	Off Marion Island.	50	(11)
<i>P. sordidus</i> , Perrier . . .	"Talisman" dredgings.	622	(12)
* <i>P. stellifer</i> , Sladen . . .	W. coast of South America.	245	Blue mud.	(13)