

Cheiroplatea cenobita (p. 12).

- Fig. 1♀. Lateral view; enlarged twice.
,, 1a. Ophthalmopod or eye.
,, 1b. First antenna.
,, 1c. Second antenna.
,, 1d. Siagon or mandible.
,, 1e. First siagnopod or maxilla.
,, 1f. Second siagnopod or maxilla.
,, 1g. Third siagnopod or maxilla (injured ?).
,, 1h. First gnathopod.
,, 1i. Second gnathopod.
,, 1k. First pair of pereiopoda, chelæ.
,, 1n. Fourth pereiopod ; terminal joints.
,, 1o. Fifth pereiopod ; terminal joints.
,, 1br. Branchial plume.
,, 1r. String of ova.
,, 1vzv. Rhipidura ; z, telson ; v,v, posterior pair of pleopoda.

Cheramus orientalis (p. 30).

- ,, 2. Lateral view ; enlarged four times.
,, 2c. Cephalon and carapace (dorsal view).
,, 2a. Ophthalmopod or eye.
,, 2b. First antenna. Flagella.
,, 2i. Second gnathopod.
,, 2o. Fifth pereiopod ; terminal joints.
,, 2q. Second pleopod.
,, 2r. Third pleopod.
,, 2s. Fourth pleopod ; ms, stylamblys, cincinnuli, and hair ; magnified.
,, 2br. Branchial plume.
,, 2br. Section of branchia.
,, 2v. Posterior pleopoda, margin ; magnified.
,, 2z. Telson.