

Sergestes semiarmis (p. 423).

- Fig. 1. Lateral view ; enlarged eight times.
,, 1i. Second gnathopod ; distal extremity.
,, 1l. Second pereopod ; chela.
,, 1m. Third pereopod ; chela.

Sergestes semiarmis, var. (p. 424).

- ,, 2c. Second antenna ; scaphocerite.
,, 2k. First pereopod ; distal extremity.
,, 2l. Second pereopod ; chela.
,, 2n, o. Fourth and fifth pereopoda.
,, 2z. Telson.

Sergestes laeviventralis (p. 425).

- ,, 3. Lateral view ; enlarged thirteen times.
,, 3l. Second pereopod ; chela.
,, 3n, o. Fourth and fifth pereopoda.

Mastigopus spiniventralis (p. 379).

- ,, 4. Lateral view ; enlarged twelve times.
,, 4z. Telson.

Sergestes spiniventralis (p. 426).

- ,, 5a. Ophthalmopod and rostrum.
,, 5l. Second pereopod ; chela.
,, 5v. Sixth pleopod ; outer branch.

Sergestes spiniventralis,¹ var.

- ,, 6a. Ophthalmopod ; b, first antenna ; c, second antenna.
,, 6n, o. Fourth and fifth pereopoda.

¹ *Habitat*.—West Pacific.