Sound of Skye, first as Comatula woodwardii, and then as Comatula celtica, both of which names must now lapse.

- 6. Antedon quadrata. This is the Arctic type which was referred to Antedon celtica, Barrett, first by von Marenzeller ⁸ and afterwards by Duncan and Sladen, ⁴ and has since been rebaptized by myself. ⁵
- 7. Antedon tenella, Retzius, sp. This species, which dates back to 1783, was described by Say in 1825 as Alectro dentata, and is better known in Europe as Alecto sarsii, Düben and Koren.
- 8. Antedon variipinna, Carpenter. To this species I now refer my own Antedon crenulata, together with the Antedon decipiens and Antedon irregularis of Bell. Some forms of it seem to have but ten arms.
- 9. Antedon granulifera, Pourtalès. There is a syzygy between the two palmar joints of this species, which escaped the notice of Pourtalès.
- 10. Antedon inæqualis, n. sp. Most examples of this species that I have seen conform to the type $A.3.\frac{br}{2}$, but in one individual there is a single series of two palmars, the axillary with a syzygy, while the first brachial above it is also traversed by a syzygy (Pl. LI. fig. 2). I much doubt, however, whether this is anything more than an abnormal development; but I have recorded it in order to guard against the possibility of similar forms being subsequently found and described as new species.

Genus ACTINOMETRA.

I. (i) a.R.
$$\frac{br}{2}$$
.

1. brachiolata

2. pectinata

3. solaris.

(ii) a.R.
$$\frac{d.(p.)br.}{2}$$

4. paucicirra

(iii) a.R.3.
$$\frac{p.br}{2}$$
.

distincta

a.R.3.
$$\frac{p.p,'p,''.....br}{2}$$
.

multibrachiata

novæ-guineæ

typica

On two species of Echinodermata, new to the Fauna of Great Britain, Ann. and Mag. Nat. Hist., 1857, ser. 2, vol. xix. p. 33.

³ Die Coelenteraten, Echinodermen und Würmer der k. k. Österreichisch-ungarischen Nordpol-Expedition, Denkschr. d. k. Akad. d. Wiss. Wien, 1877 [1878], Bd. xxxv. p. 380.

⁴A Memoir on the Echinodermata of the Arctic Sea to the West of Greenland, London, 1881, p. 75, pl. vi. figs. 5, 6.

⁶ On the Crinoidea of the North Atlantic between Gibraltar and the Færoe Islands, Proc. Roy. Soc. Edin., 1883-84, vol. xii. p. 375.

⁶ Bull. Mus. Comp. Zool., 1878, vol. v. No. 9, p. 215.