

	How obtained.	Range in Depth.	Principal Localities.
<i>Antedon</i> , de Frém., contd.		Fathoms.	
<i>columnaris</i> , Carp., . . .	A.	422	Off St. Lucia.
<i>cubensis</i> , Pourt., . . .	A.	450	Florida Straits.
<i>dübени</i> , Böhlsche, . . .	D.	20	Bahia; Rio Janeiro.
<i>exigua</i> , Carp., . . .	C.	50-175	Southern Ocean—off Marion Island, and Station 145.
<i>hageni</i> , Pourt., . . .	A.	82-242	Caribbean Islands and Straits of Florida.
<i>hirsuta</i> , Carp., . . .	C.	140	Southern Ocean—near Marion Island, Station 145.
<i>hystrix</i> , Carp., . . .	P.	320-430	Færoe Channel.
<i>lævis</i> , Carp., . . .	C.	500	Pacific—near the Meangis Islands, Station 214.
<i>lineata</i> , Carp., . . .	C.	600	West Atlantic—off Monte Video, Station 320.
<i>longipinna</i> , Carp., . . .	C.	600	West Atlantic—off Monte Video, Station 320.
<i>milleri</i> , Müll., sp.,	Milford Haven.
<i>petasus</i> , Düb. and Kor., sp., .	Q.	20-100	North-East Atlantic.
<i>phalangium</i> , Müll., sp., .	Q. T.	30-220	East Atlantic—Hebrides to Gibraltar and Mediterranean.
<i>prolixa</i> , Sladen, . . .	N. W. Y.	25-743	Smith's Sound; Kara Sea; North-East Atlantic.
<i>remota</i> , Carp., . . .	C.	1600	Southern Ocean, Station 147.
<i>rosacea</i> , Linck, sp., . . .	Q. X.	100	East Atlantic—Hebrides to Madeira and Mediterranean.
<i>tenella</i> , Retz., sp., . . .	B. Q. W.	50-740	Barents Sea; Kara Sea; Scandinavia; Færoe Channel; North Atlantic—off Coasts of Portugal and New England.
<i>tenuicirra</i> , Carp., . . .	C.	150	Pacific—North of Admiralty Islands, Station 219.
5. <i>Milberti</i> -group.			
<i>anceps</i> , Carp., . . .	C.	10	Pacific—off Samboangan, Station 212.
<i>carinata</i> , Carp., . . .	B. D. X.	7-278	Brazil; Venezuela; St Lucia; Chile; Java (?); Ceylon; Seychelles; Red Sea; Zanzibar; Mauritius; Madagascar; St. Helena.
<i>carpenteri</i> , Bell, . . .	G.	7	Queensland.
<i>informis</i> , Carp., . . .	C.	18	Philippine Islands, Station 208.