

than the ramus, which is minute, little longer than broad, with a cleft apex carrying a feathered setule; the third pair similar to the second, the peduncles rather shorter, with some marginal setules, the ramus not longer than broad, scarcely appearing beyond the peduncle, ending in upturned sharp teeth.

The Telson very short, not longer than broad, in a lateral view appearing to have the apical border set round with two rows of sharp upturned teeth.

Length.—The specimen, in the position figured, measured, from the rostrum to the end of the first or second segment of the pleon, less than one-fifth of an inch.

Locality.—The single specimen, a female, was obtained in Flinders Passage.

Remark.—The specific name is taken from the place of capture.

Genus *Unciola*, Say, 1818.

- 1818. *Unciola*, Say, Journ. Acad. Nat. Sci. Philad., vol. i. pt. ii. p. 388.
- 1830. " Milne-Edwards, Ann. d. Sci. Nat., t. xx. pp. 382, 383 (extr. 31, 32).
- 1838. *Unciata*, Milne-Edwards, Hist. Nat. anim. sans vertèbres, t. v.
- 1840. *Unciola*, Milne-Edwards, Hist. Nat. Crust., t. iii. p. 69.
- 1845. *Glauconome*, Krøyer, Naturh. Tidsskr., R. 2, Bd. i. p. 501.
- 1849. *Unciola*, Dana, Amer. Journ. Sci. and Arts, ser. 2, vol. viii. p. 139.
- 1852. " Dana, Amer. Journ. Sci. and Arts, ser. 2, vol. xiv. p. 309.
- 1852. " Dana, U.S. Explor. Exped., vol. xiii. pt. ii. pp. 832, 1441.
- 1859. *Cyrthophium*, Danielssen, Nyt Mag. for Naturv., Bd. 11, Hfte 1, p. 8 (Boeck).
- 1862. *Unciola*, Spence Bate, Brit. Mus. Catal. Amph. Crust., p. 278.
- 1865. *Glauconome*, Goës, Crust. amph. maris Spetsb., p. 17.
- 1867. *Unciola*, Norman, Nat. Hist. Trans. Northd. and Durham.
- 1868. *Unciola*, Bate and Westwood, Brit. Sess. Crust., vol. ii. p. 517.
- 1870. *Glauconome*, Boeck, Crust. amph. bor. et arct., p. 178 (258).
- 1874. *Unciola*, Verrill and Smith, Invert. Anim. Vineyard Sound, pp. 440, 567, (46, 273)
- 1876. *Glauconome*, Boeck, De. Skand. og Arkt. Amph., p. 636.
- 1876. " Sars, Prodr. descr. Crust. et Pycn. Exp. Norv., p. 360.
- 1879. " Sars, Crust. et Pycn. nova, p. 462.
- 1880. *Unciola*, S. I. Smith, Trans. Connect. Acad., vol. iv. p. 280.
- 1882. " Sars, Oversigt af Norges Crustaceer, pp. 31, 114.
- 1885. " Sars, Den norske Nordhavs-Exp., p. 212.
- 1886. " Gerstaecker, Bronn's Klassen und Ordnungen, Bd. v. Abth. ii. p. 495.

For the original definition of the genus, see Note on Say, 1818 (p. 104). For the definition of *Glauconome*, see Note on Krøyer, 1845 (p. 212). *Unciata*, Milne-Edwards, 1838, is a mere misprint, and *Cyrthophium*, Danielssen, 1859, is only a name, the identification of which with *Glauconome* rests upon Boeck's authority. Boeck gives the following definition of the genus:—

"Mandibles with three-jointed palp; the third joint elongate, narrow, but shorter than the second."