

## Mæra—continued.

<i>pocillimanus</i> , Sp. Bate, 1862, . . . . .	335
<i>quadrimanus</i> , Sp. Bate, 1862, . . . . .	267, 1637
<i>Ramsayi</i> , Haswell, 1880, . . . . .	288, 555, 565
<i>rapax</i> , Barrois, 1888, . . . . .	1649
<i>rubromaculata</i> , Haswell, 1880, . . . . .	{ 288, 336, 511, 551, 556 565, 1008, pls. xcv, xcvi
<i>Savii</i> , Sp. Bate, 1862, . . . . .	141
{ <i>scissimana</i> , Heller, 1866, . . . . .	298, 367, 442, 1649
{ <i>scissimanus</i> , 1888, . . . . .	298
<i>setipes</i> , Dana, 1852, . . . . .	267
<i>spinosa</i> , Haswell, 1880, . . . . .	288, 511, 565, 1014
<i>subcarinata</i> , Chilton, 1884, . . . . .	551, 552, 1637
<i>tenella</i> , Sp. Bate, 1862, . . . . .	267, 345
<i>tenella</i> , G. O. Sars, 1876, . . . . .	459, 569
<i>tenera</i> , G. O. Sars, 1885, . . . . .	459, 569
<i>tenuicornis</i> , Sp. Bate, 1862, . . . . .	263, 267, 524
<i>Torelli</i> , Boeck, 1870, . . . . .	357, 395
<i>truncatipes</i> , Sp. Bate, 1862, . . . . .	{ 78, 222, 298, 335, 442 545, 556
<i>valida</i> , Dana, 1852, . . . . .	267
<i>viridis</i> , Haswell, 1880, . . . . .	512

## Megalorchestes—

<i>californianus</i> , Brandt, 1851, . . . . .	246
<i>Megalorchestia</i> (see <i>Orchestoidea</i> )—	
<i>californiana</i> , Brandt, 1851, . . . . .	246, 303
? <i>longicornis</i> , Brandt, 1851, . . . . .	246
<i>scabripes</i> , Stimpson, 1857, . . . . .	303

## Megamoera—

<i>albida</i> , Sp. Bate, 1862, . . . . .	267
<i>Alderi</i> , Sp. Bate, 1862, . . . . .	336, 386, 408, 496
<i>aspera</i> , Sp. Bate, 1862, . . . . .	267
<i>Boeckii</i> , Haswell, 1880, . . . . .	512
<i>brevicaudata</i> , Sp. Bate, 1862, . . . . .	367, 556, 1018, 1649
<i>dentata</i> , Sp. Bate, 1862, . . . . .	200, 278, 357
<i>diemenensis</i> , Haswell, 1880, . . . . .	511
<i>fasciculata</i> , G. M. Thomson, 1880, . . . . .	524
<i>haswelli</i> , Miers, 1884, . . . . .	556, 565
<i>Indica</i> , Sp. Bate, 1862, . . . . .	267
<i>Krøyeri</i> , <sup>1</sup> Sp. Bate, 1862, . . . . .	280
<i>longicauda</i> , Sp. Bate, 1862, . . . . .	247, 352
{ <i>longimana</i> , Bate and Westwood, 1862, . . . . .	386
{ <i>longimanus</i> , Sp. Bate, 1862, . . . . .	313, 1014
<i>Mastersii</i> , Haswell, 1880, . . . . .	511, 556
<i>Miersii</i> , Pfeffer, 1888, . . . . .	1653
<i>multidentata</i> , Bate and Westwood, } 1868, . . . . .	374
<i>orchestipes</i> , Grube, 1864, . . . . .	299, 348
<i>Othonis</i> , Sp. Bate, 1862, . . . . .	141, 386
<i>Peruviansis</i> , Sp. Bate, 1862, . . . . .	267
<i>semiserrata</i> , Sp. Bate, 1862, . . . . .	336, 556, 596
<i>serrata</i> , Sp. Bate, 1862, . . . . .	336, 565, 1013
<i>subcarinata</i> , Haswell, 1880, . . . . .	512, 551, 1018, 1637

## Megamoera—continued.

<i>subserrulata</i> , Grube, 1869, <sup>2</sup> . . . . .	596
<i>suensis</i> , Haswell, 1880, . . . . .	512, 556, 565
<i>Suluensis</i> , Sp. Bate, 1862, . . . . .	267
<i>thomsoni</i> , Miers, 1884, . . . . .	556, 565
<i>Torelli</i> , Sp. Bate, 1867, . . . . .	368
<i>Megamphopus</i> (? = <i>Podocerospis</i> )—	
<i>cornutus</i> , Norman, 1869, . . . . .	1108, 1628
<i>Melita</i> —	
<i>amoena</i> , Hansen, 1887, . . . . .	1644
<i>anischir</i> , Sp. Bate, 1862, . . . . .	210, 267
<i>australis</i> , Haswell, 1880, . . . . .	511, 556
<i>Coroninii</i> , Heller, 1866, . . . . .	366
<i>dentata</i> , <sup>1</sup> Boeck, 1870, . . . . .	{ 200, 247, 278, 281, 357 395, 523, 546, 599, 1634
<i>diadema</i> , Stuxberg, 1880, . . . . .	523
<i>exilii</i> , Fritz Müller, 1864, . . . . .	349
<i>formosa</i> , Murdoch, 1885, . . . . .	567
{ <i>fresnelii</i> , Miers, 1875, . . . . .	127, 263, 447
{ <i>Fresnelii</i> , Sp. Bate, 1862, . . . . .	335, 459, 1642
<i>gladiosa</i> , Sp. Bate, 1862, . . . . .	599, 1645
<i>Goëssii</i> , Hansen, 1887, . . . . .	349, 350, 502, 524
<i>insatiabilis</i> , Fritz Müller, 1864, . . . . .	567
<i>leonis</i> , Murdoch, 1885, . . . . .	563
<i>megacheles</i> , Giles, 1885, . . . . .	349, 350, 502
<i>Messalina</i> , Fritz Müller, 1864, . . . . .	437
<i>nitida</i> , S. I. Smith, 1874, . . . . .	299, 367
<i>Orchestipes</i> , Sp. Bate, 1862, . . . . .	{ 83, 106, 222, 271, 305 335, 336, 386, 395, 496
<i>obtusata</i> , <sup>3</sup> Sp. Bate, 1862, . . . . .	561
<i>oxyura</i> , Catta, in Carus, 1885, . . . . .	498, 569
<i>pallida</i> , G. O. Sars, 1879, . . . . .	{ 75, 84, 90, 91, 106, 121 122, 141, 149, 188, 192 209, 219, 292, 297, 378 395, 446, 485, 486, 502 534, 544, 545
<i>palmata</i> , Leach, 1813–14, . . . . .	540
<i>pellucida</i> , G. O. Sars, 1882, . . . . .	141
<i>Podager</i> , Sp. Bate, 1862, . . . . .	335, 336, 386, 408, 496
<i>proxima</i> , Sp. Bate, 1862, . . . . .	511
? <i>Ramsayi</i> , Haswell, 1880, . . . . .	267, 556
<i>setipes</i> , Sp. Bate, 1862, . . . . .	523
<i>sp.</i> , Stuxberg, 1880, . . . . .	{ 263, 267, 447, 458, 500 524
<i>tenuicornis</i> , Dana, 1852, . . . . .	267
<i>valida</i> , Sp. Bate, 1862, . . . . .	
<i>Melphidippa</i> —	
<i>borealis</i> , Boeck, 1870, . . . . .	395, 557
<i>longipes</i> , Boeck, 1870, . . . . .	395
<i>spinosa</i> , Boeck, 1870, . . . . .	357, 395, 599
<i>Menigrates</i> —	
<i>arcticus</i> , J. Sp. Schneider, 1884, . . . . .	556
<i>brachycercus</i> , Boeck, 1870, . . . . .	362
<i>obtusifrons</i> , Boeck, 1870, . . . . .	321, 362, 393

<sup>1</sup> The Brit. Mus. Catal. Amph. Crust., p. 229, gives this name to the "*Gammarus Krøyeri*" of Bell and Westwood, 1855, which Boeck identifies with *Melita dentata*, Krøyer, although the third uropods do not agree with the definition of *Melita*.

<sup>2</sup> Grube's paper, already noticed p. 888, is in the "Abhandlungen der Schlesischen Gesellschaft für vaterländische Cultur. Abtheilung für Naturwissenschaften und Medizin, 1868–69. Breslau 1869," pp. 91–129, Taf. 2. A list of Crustacea at p. 125 contains under *Megamoera* the entry "*M. subserrulata* Sp. B. ?," probably by a mistake for *Megamoera semiserrata*, Spence Bate.

<sup>3</sup> White in 1847 gives "*Melita obtusata*, Leach" as a synonym of *Amphithoe obtusata*.