

Macdonald places in this genus *Atlanta rangii*, *Atlanta keraudrenii*, and *Atlanta lamanonii*, which he states are "characterised by having an involute instead of a spiral nucleus to the shell, greater fullness in the whorls, and a comparatively small amount of calcareous matter as a component, particularly near the mouth and in the keel."

These observations are applicable to the two first-named species but not to the last. This, which I have previously referred to as *Atlanta souleyeti*, resembles the other species of *Oxygyrus* in having a membranous and not a hardened glossy keel to the shell as in the rest of the species of *Atlanta*, but it has not an involute spire, and the operculum according to Eydoux and Souleyet's figure is quite of the normal type of *Atlanta* and not like that of *Oxygyrus*. I think, therefore, it should be retained in the former genus.

Oxygyrus keraudrenii (Lesueur).

1817. *Atlanta keraudrenii*, Lesueur, Journ. de Physique, vol. lxxxv. p. 391, pl. ii.
1827. " " Rang, Mém. Soc. Hist. Nat. Paris, vol. iii. p. 380, pl. ix. figs. 4, 5, 6, 8.
1830. " " Deshayes, Ency. Méth., vol. ii. p. 83.
1830. " " Cuvier, Règne Anim., ed. 2, vol. iii. p. 69.
1832. " " Rang, Mag. de Zool., classe v. pl. iv. figs. 1-7.
- 1832-44. " " Guérin, Icon. Règne Anim., pl. xi. fig. 2 (copy of Rang, 1832).
1836. " " Deshayes, Cuvier's Règne Anim. Moll., pl. xxxviii. fig. 3 (copy of Rang, Mem. Soc. Hist. Nat.).
1836. " (*Helicophlegma*) *keraudrenii*, d'Orbigny, Voy. Amér. mérid., vol. v. p. 169, pl. xi. figs. 16-23, pl. xx. figs. 3, 4.
1839. " " id., Hist. Nat. Canaries, Moll., p. 35.
1840. " *bironæ*, Pirajno Efem. Sci. Sicil., vol. xxviii. p. 148, figs. 2a, b, b.c.
1841. *Helicophlegma keraudrenii*, d'Orbigny, Sagra's Hist. Cuba, Moll., vol. i. p. 99.
1841. *Atlanta de kéraudren*, Eydoux and Souleyet, Voy. "Bonite," Atlas Zool., pl. xviii. figs. 1-17.
1841. *Ladas keraudrenii*, Cantraine, Mal. Médit., p. 38, pl. i. fig. 2.
1844. " Philippi, Enum. Moll. Sicil., vol. ii. p. 205.
1847. *Atlanta keraudrenii*, Chenu, Leçons Elém. Hist. Nat., p. 132, fig. 419.
1847. " *lesueuri* (?), Lovén, Öfversigt k. Vetensk.-Akad. Förhandl., pl. iv.
1848. *Ladas keraudrenii*, Requier, Cat. Coq. de Corse, p. 88.
1850. *Oxygyrus keraudrenii*, Gray, Fig. Moll. Anim., pl. ccxl. figs. 2, 2a (copy of Lesueur).
1850. " " id., op. cit., pl. cxvii.c, fig. 3 (copy of Rang, 1832).
1850. " " id., op. cit., pl. cxvii.b, figs. 3-3c (copy of Rang, 1827).
1850. " " id., op. cit., pl. cxvii.c, fig. 6 (copy of Cantraine).
1850. " " id., op. cit., pl. ccxxxviii. fig. 3 (copy of Eydoux and Souleyet).
1850. " " id., op. cit., pl. cxvii.b, fig. 1 (copy of d'Orbigny).
- 1850? *Atlanta keraudrenii*, Deshayes, Traité de Conch., pl. ci. figs. 1-4 (copy of Eydoux and Souleyet).
1852. " " Souleyet, Voy. "Bonite," Zool., vol. ii. p. 364.
1852. " " Costa, Fauna Reg. Napoli, Eteropodi, p. 5, pl. i. fig. 3 (copy of Pirajno).
1853. " " Vérany, Journ. de Conchyl., vol. iv. p. 381.
1854. *Oxygyrus keraudrenii*, H. and A. Adams, Gen. Moll., vol. ii. p. 92; vol. iii. pl. lxix. figs. 6-6b.